

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.67

LIBRARY
RECEIVED
★ FEB 27 1948 ★
U. S. Department of Agriculture

**WHOLESALE
TRADE LIST**

EVERGREEN NURSERIES

FALL, 1947

SPRING, 1948



The Kallay Bros. Co.

Painesville, Ohio

Office: Cor. Madison Ave. and Bowhall Rd.

Phone 5662

**For Nurserymen, Florists, Dealers
and Landscape Architects**

Conditions of Sale

Prices herein listed cancel all previous lists, and are subject to change without notice.

Terms

Prices herein listed are F. O. B. NURSERY AT PAINESVILLE, OHIO. To those with established record for promptness or with satisfactory references, we shall be pleased to extend our regular terms of 30 days from date of invoice. Two per cent (2%) discount will be allowed if paid within ten (10) days, or three (3%) per cent discount for cash in full with order. All orders for C. O. D. shipments must be accompanied by at least one-third ($\frac{1}{3}$) of the amount of the order so as to insure acceptance upon arrival.

Price Quotations

PRICE QUOTATIONS are made for immediate acceptance, subject to prior sale, and to stenographic, typographical errors, or omissions.

Guarantee of Genuineness

We cannot guarantee any trees, shrubs and plants sold by us, other than that they are true to name, and free from any injurious insects or disease, and hold ourselves prepared to replace, on proper proof, all that may prove to be otherwise. Any and all such trees, shrubs and plants are sold upon the express condition and understanding that should any of them prove to be otherwise, we shall not be held responsible for a greater amount than the original price paid, and all orders booked are based on the distinct understanding that the purchaser agrees to the conditions as herein outlined.

Claims

All orders accepted by us are booked on conditions that they shall be void should injury befall the stock from frost, fire, hail storm or other causes of whatsoever nature over which we have no control. All claims of whatsoever nature must be made within 10 days after receipt of the stock. Claims should be made promptly within the time limit specified, and in writing.

Plants become your property upon delivery to the transportation company, and we cannot be responsible for loss, damage, or delay in transit.

TRADE CONDITIONS

Carloading

We have a railroad siding on our own property and are equipped to load cars to all points promptly and without unnecessary extra handling of stock.

Explanatory Notes

Figures following names throughout this list indicate in feet the approximate height of the plant at maturity.

The botanical and common names herein used are in conformity with the "Standardized Plant Names" which is the accepted authority on the plant nomenclature in the horticultural industry.

Our grading standards are based on a schedule which has been accepted and adopted by the American Association of Nurserymen.

Balling of Deciduous Stock

All items herein listed "B. & B." will be balled and burlapped and the cost thereof is included in the prices herein listed.

Deciduous stock listed bare roots may be balled at the option of the purchaser, and a schedule of cost of balling such deciduous stock will be found on Page 72.

Packing Costs

When L. C. L. orders are placed for shipment by common carrier, there will be an additional charge for packing. A schedule of packing prices will be found on Page 72.

THE KALLAY BROS. CO.
PAINESVILLE, OHIO

For the benefit of the amateur planter, and those who care to follow these suggestions, we indicate herein, after the name of each item of woody plant material, the type of soil, PH content of the soil, and exposure of the plant to sun and shade necessary for the best and lasting result and satisfaction.

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

ABELIA

—**grandiflora.** 3 ft. (Glossy Abelia) Light, peaty, moist
PH 6.0-7.5, sun-partial shade.

15 to 18 in. B&B.....	\$1.25	1.15	1.00
18 to 24 in. B&B.....	1.50	1.35	1.25
2 to 3 ft. B&B.....	2.00	1.75	1.50
3 to 4 ft. B&B.....	2.50	2.00	

ABIES

—**balsamea.** 40 ft. (Balsam Fir) Loam, moist, PH
5.0-6.5, sun.

2 to 3 ft. B&B.....	5.00	4.50	
3 to 4 ft. B&B.....	6.00	5.50	

—**concolor.** 50 ft. (White Fir) Loam, moist, PH 5.5-
6.5, sun.

5 to 6 ft. B&B.....	9.00	8.00	
6 to 7 ft. B&B.....	11.00	10.00	
7 to 8 ft. B&B.....	15.00	12.50	

—**douglasi.** (See *Pseudotsuga douglasi*)

ACANTHOPANAX

—**peniaphyllum.** 8 ft. (Five Leaf Aralia) Sandy to
silty loam, moist, PH 5.5-7.5, sun-shade.

18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50

ACER

—**dasy carpum (saccharinum)** 60 ft. (Silver Maple)
Sandy to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.....	1.25	1.15	1.00
8 to 10 ft.....	1.50	1.35	1.25
1¼ to 1½ in.....	2.00	1.75	1.50
1½ to 1¾ in.....	2.25	2.00	1.75
1¾ to 2 in.....	2.50	2.25	2.00
2 to 2½ in.....	3.50	3.25	3.00
2½ to 3 in.....	4.50	4.25	4.00
3 to 3½ in.....	6.50	6.25	6.00
3½ to 4 in.....	10.00	9.00	8.00
4 to 5 in.....	15.00	12.00	
5 to 6 in., price on request			

—**ginnala.** 15 ft. (Amur Maple) Good loam, moist,
PH 6.0-7.5, sun- partial shade.

4 to 5 ft.....	1.00	.90	
5 to 6 ft.....	1.25	1.15	
6 to 8 ft.....	2.00	1.75	

Each
1-4

Each
5-24

Each
25-up

ACER— Continued

—**negundo.** 60 ft. (Box Elder) Sandy to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.25	1.00
8 to 10 ft.	1.75	1.50

—**palmatum.** 12 ft. (Greenleaf Japanese Maple) Silty clay loam, moist, PH 6.0-7.5, sun-partial shade.

4 to 5 ft. B&B	3.50	3.00
5 to 6 ft. B&B	4.50	4.00
6 to 8 ft. B&B	6.50	6.00

—**palmatum atropurpureum.** 10 ft. (Redleaf Japanese Maple) Silty clay loam, moist, PH 6.0-7.5, sun for best color

3½ to 4 ft. B&B	7.00	6.50
4 to 5 ft. B&B	10.00	9.00
5 to 6 ft. B&B Heavy	15.00	12.50
6 to 8 ft. B&B Heavy	20.00	17.50

—**pennsylvanicum.** 20 ft. (Striped Maple) Woodsy loam, moist, PH 5.0x6.5, partial shade.

6 to 8 ft.	4.00	3.50
8 to 10 ft.	5.00	4.50

—**platanoides.** 50 ft. (Norway Maple) Silty to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.50	2.25	2.00
1¼ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	3.50	3.25	3.00
1¾ to 2 in.	4.50	4.25	4.00
2 to 2½ in.	6.00	5.50	5.00
2½ to 3 in.	7.00	6.50	
3 to 3½ in.	9.00	8.00	
3½ to 4 in.	12.00	10.00	

—**platanoides schwedleri.** 50 ft. (Schwedler Maple) Silty to clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	3.00	2.50
4 to 5 in.	30.00	25.00

—**rubrum.** 50 ft. (Red Maple) Medium silty loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.50	2.25	2.00
8 to 10 ft.	3.00	2.75	2.50
1¼ to 1½ in.	3.50	3.25	3.00
1½ to 1¾ in.	4.50	4.25	4.00
1¾ to 2 in.	6.00	5.50	5.00
2 to 2½ in.	8.00	7.50	7.00
2½ to 3 in.	10.00	9.00	8.00
3 to 3½ in.	11.00	10.00	
3½ to 4 in.	17.50	15.00	

ACER—Continued

—**saccharum**. 60 ft. (Sugar or Rock Maple) Medium loam, well drained, PH 6.0-7.5, sun.

		Each 1-4	Each 5-24	Each 25-up
6	to 8 ft.	2.50	2.25	2.00
8	to 10 ft.	3.00	2.75	2.50
1¼	to 1½ in.	3.75	3.50	3.25
1½	to 1¾ in.	4.50	4.25	4.00
1¾	to 2 in.	6.00	5.50	5.00
2	to 2½ in.	7.00	6.50	6.00
2½	to 3 in.	9.00	8.50	8.00
3	to 3½ in.	11.00	10.50	10.00
3½	to 4 in.	14.00	13.00	12.00
4	to 5 in.	25.00	20.00	
5	to 6 in.	price on request.		

—**tataricum**. 15 ft. (Tatarian Maple) Good, moist loam, PH 6.0-7.5, sun.

5	to 6 ft.	1.50	1.25
6	to 8 ft.	2.25	2.00

AESCULUS

—**carnea**. 40 ft. (Red Flowering Horsechestnut) Sandy to silty loam, moist, PH 6.0-7.0, sun.

5	to 6 ft.	6.50	6.00
6	to 8 ft.	12.00	10.00
2	to 2½ in.	25.00	20.00

—**hippocastanum**. 40 ft. (Horsechestnut) Sandy to silty loam, moist, PH 6.0-7.5, sun.

6	to 8 ft.	3.50	3.00
1½	to 2 in.	6.50	6.00
2	to 2½ in.	8.00	7.00

—**octandra**. 60 ft. (Yellow Buckeye) Sandy to silty loam, moist, PH 6.0-7.5, sun.

6	to 8 ft.	3.00	2.50
8	to 10 ft.	4.00	3.50
1¼	to 1½ in.	5.00	4.50

—**pavia**. 30 ft. (Red Buckeye) Sandy to silty loam, moist, PH 6.0-7.0, sun.

3	to 4 ft.	4.50	4.00
4	to 5 ft.	6.00	5.00
5	to 6 ft.	6.50	6.00
6	to 8 ft.	8.00	7.00

—**ALTISSIMA** (glandulosa.) 40 ft. (Tree of Heaven) Sandy to clay loam, dry-moist, PH 6.0-7.0, sun.

6	to 8 ft.	1.75	1.50
8	to 10 ft.	2.25	2.00
1½	to 2 in.	3.50	3.00
2	to 2½ in.	4.50	4.00
2½	to 3 in.	6.00	5.50
3	to 3½ in.	7.00	6.50
3½	to 4 in.	9.00	8.00

AKEBIA

—**quinata**. 15 ft. (Fiveleaf Akebia) Sandy loam, well drained moist, PH 6.0-7.5, partial shade.

2	year	.40	.35
3	year	.60	.50

ALNUS

Each 1-4 Each 5-24 Each 25-up

—*glutinosa*. 50 ft. (European Alder) Medium loam, moist, PH 5.5-7.0, sun, tolerates wet soil.

5 to 6 ft.	2.00	1.50	
6 to 8 ft.	2.50	2.00	

—*incana*. 50 ft. (Speckled Alder) Medium loam, moist, PH 5.5-6.5, partial shade, stands wet soil.

5 to 6 ft.	2.00	1.50	
6 to 8 ft.	2.50	2.00	
8 to 10 ft.	3.00	2.50	
1¼ to 1½ in.	3.50	3.00	

ALTHEA — See Hibiscus

AMELANCHIER

—*alnifolia*. 7 ft. (Saskatoon) Woodsy loam, moist, PH 5.5-7.0, sun, or partial shade.

2 to 3 ft.	.90	.80	.70
3 to 4 ft.	1.50	1.25	
4 to 5 ft.	1.75	1.50	

—*canadensis*. 30 ft. (Downy Shadblow) Woodsy loam, moist, PH 5.0-6.0, sun or partial shade

5 to 6 ft.	2.00	1.50	
6 to 8 ft.	3.50	3.00	

—*stolonifera*. 3 ft. (Running Shadblow) Medium loam, moist, PH 6.0-7.5, sun or partial shade, good for underplanting.

18 to 24 in.	.50	.45	.40
2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.75	.70	.65

AMORPHA

—*canescens*. 2 ft. (Lead Plant) Sandy to loam, moist, PH 6.0-7.5, sun, well drained soil.

12 to 15 in.	.40	.35	
15 to 18 in.	.45	.40	
18 to 24 in.	.60	.50	

—*fruticosa*. 10 ft. (Indigobush) Sandy to loam, moist, PH 6.0-7.5, sun, well drained soil.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.55	.50	.45
5 to 6 ft.	.80	.70	.60

AMPELOPSIS

—*brevi. maxomowiczi* 25 ft. (Procelain Ampelopsis) Medium loam, dry-moist, PH 6.0-7.5, sun or part shade.

2 year	.50	.45	.40
3 year	.60	.55	.50

AMYGDALUS — see prunus persica

AMPELOPSIS — see Parthenocissus

ARALIA

—*spinosa*. 20 ft. (Hercules Club) Sandy to silty loam, dry-moist, PH 6.0-7.5, sun or part shade.

5 to 6 ft.	1.00	.90	.80
6 to 8 ft.	1.50	1.35	1.25
8 to 10 ft.	2.25	2.00	

	Each 1-4	Each 5-24	Each 25-up
ARONIA. Pyrus			
— arbutifolia. 6 ft. (Red Chokeberry) Medium loam, moist or well drained, PH 5.0-6.5, sun or part shade.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.60	.55	.50
— atropurpurea. 6 ft. (Purple Chokeberry) Medium loam, moist, PH 5.0-6.5, moist well drained soil.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.60	.55	.50
— brilliantissima. 6 ft. (Brilliant Chokeberry) Medium loam, moist, PH 5.0-6.5, sun or part shade, well drained soil.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.55	.50	.45
— melanocarpa. 8 ft. (Black Chokeberry) Medium loam, dry or moist, PH 5.0-6.5, sun or part shade.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.60	.55	.50
— melanocarpa elata. 8 ft. (Glossy Chokeberry) Medium loam, dry or moist, PH 5.0-6.5, sun or part shade.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.55	.50	.45
AZALEA			
— calendulacea. 8 ft. (Flame Azalea) Woodsy loam, moist-drained, PH 4.5-5.5, sun or light shade, acid high organic.			
18 to 24 in. B&B.....	3.50	3.00	
2 to 3 ft. B&B.....	4.50	4.00	
— canescens roseum. 6 ft. (Pink) Woodsy loam, moist-drained, PH 4.5-5.5, sun, acid high organic.			
18 to 24 in. B&B.....	3.50	3.00	
2 to 3 ft. B&B.....	4.50	4.00	
— kaempferi. 5' (Torch azalea) Woodsy loam, moist, drained, PH 4.5-6.0			
9 to 12 in. B&B.....	2.00	1.75	
12 to 15 in. B&B.....	2.50	2.25	
15 to 18 in. B&B.....	3.25	3.00	
— mollis — red and pink. 3 ft. (Chinese Azalea) Woodsy loam, moist-drained, PH 4.5-6.5, sun, acid high organic.			
9 to 12 in. B&B.....	1.25	1.15	1.00
12 to 15 in. B&B.....	2.25	2.00	1.75
15 to 18 in. B&B.....	2.50	2.25	

Azalea (Continued)

—**nudiflora.** 6 ft. (Pinxterbloom). Woodsy loam, moist-drained, PH 4.5-5.5, sun or part shade, acid high organic.

18 to 24 in. B&B.....	3.50	3.00	
2 to 3 ft. B&B.....	4.50	4.00	

BENZOIN — see Lindera

BERBERIS

—**mentorensis.** 6' (Mentor barberry) semi-evergreen sandy to clay loam, PH 6.0-7.5, sun or part shade

12 to 15 in.....	.35	.30	
15 to 18 in.....	.50	.40	

—**thunbergi.** 5 ft. (Japanese Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun or part shade.

12 to 15 in.....	.15	.13	.12
15 to 18 in.....	.20	.17	.15
18 to 24 in.....	.25	.22	.20
24 to 30 in.....	.30	.27	

—**thunbergi atropurpurea.** 5 ft. (Red Japanese Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun for best color.

12 to 15 in.....	.25	.22	.20
15 to 18 in.....	.30	.27	.25
18 to 24 in.....	.35	.32	.30
24 to 30 in.....	.45	.40	.35

—**thunbergi minor.** 3 ft. (Box Barberry) Sandy to clay loam, moist, PH 6.0-7.5, sun or part shade.

9 to 12 in.....	.30	.25	
12 to 15 in.....	.35	.30	
15 to 18 in.....	.40	.35	

BETULA

—**lutea.** 40 ft. (Yellow Birch) Good, Medium loam, moist, PH 5.0-7.0, sun or part shade, tolerant to wet soil.

8 to 10 ft.....	2.25	2.00	
1¼ to 1½ in.....	3.00	2.75	
1½ to 1¾ in.....	4.50	4.00	

—**pendula (alba.)** 40 ft. (European White Birch) Sandy loam, dry-moist, PH 5.0-6.5, sun or part shade.

6 to 8 ft.....	2.00	1.75	1.50
8 to 10 ft.....	2.50	2.25	2.00
1¼ to 1½ in.....	2.75	2.50	2.25
1½ to 1¾ in.....	3.00	2.75	2.50
1¾ to 2 in.....	3.50	3.00	
2 to 2½ in.....	5.00	4.50	
2½ to 3 in.....	6.50	6.00	
3 to 3½ in.....	9.00	8.00	

BETULA — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**P. lacinata.** 40 ft. (Cut Leaf Weeping Birch) Sandy loam, dry-moist, PH 5.0-6.5, sun-part shade.

5	to	6	ft.	2.50	2.00
6	to	8	ft.	3.00	2.50
1¾	to	2	in.	5.50	5.00
2	to	2½	in.	7.00	6.50

—**nigra.** Multiple Stems. Good, medium loam, moist, PH 5.0-7.0, sun or part shade, tolerant to wet soil.

6	to	8	ft. B&B	10.00	9.00
8	to	10	ft. B&B	13.00	12.00

—**papyrifera.** 50 ft. (Canoe Birch) Good loam, moist, PH 5.0-6.5, sun or part shade, good moist soil.

6	to	8	ft.	2.50	2.00
8	to	10	ft.	3.00	2.50
1¼	to	1½	in.	3.50	3.00
1½	to	1¾	in.	4.00	3.50
1¾	to	2	in.	5.00	4.50
2	to	2½	in.	6.50	6.00
2½	to	3	in.	7.50	7.00

BIGNONIA —(see Campsis)**BUDDLEIA** — (Butterfly Bush)

—**alternifolia** (Lilac-purple) Sandy loam, moist well drained, PH 6.0-7.5, sun.

3	year	.45	.40
---	------	-----	-----

—**charming.** (Bright Pink) Sandy loam, moist well-drained, PH 6.0-7.5, sun.

2	year	.40	.35	.30
---	------	-----	-----	-----

—**concord.** (Reddish Blue) Sandy loam, moist well-drained, PH 6.0-7.5, sun.

2	year	.40	.35	.30
---	------	-----	-----	-----

—**dubonnet.** (Wine Red) Sandy loam, moist well drained, PH 6.0-7.5, sun.

2	year	.40	.35	.30
---	------	-----	-----	-----

—**eleanor.** (Blue, Orange Eye) Sandy loam, moist well-drained, PH 6.0-7.5, sun.

2	year	.40	.35	.30
---	------	-----	-----	-----

—**ile de france.** (Claret-Purple) Sandy loam, moist well-drained, PH 6.0-7.5, sun.

2	year	.40	.35	.30
---	------	-----	-----	-----

—**royal red.** Sandy loam, moist, well drained, PH 6.0-7.5, sun.

2	year	.50	.40	.35
---	------	-----	-----	-----

—**white beauty.** Sandy loam, moist, well drained, PH 6.0-7.5 sun.

2	year	.50	.40	.35
---	------	-----	-----	-----

BUXUS

Each 1-4 Each 5-24 Each 25-up

—**sempervierens.** 12 ft. (Boxwood) unsheared. Rich, medium loam, moist well-drained, PH 6.0-7.5, sun, part shade.

12 to 15 in. B&B.....	2.00	1.75	1.50
15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in B&B.....	3.00	2.75	2.50
24 to 30 in. B&B.....	3.50	3.25	3.00

CALLICARPA

—**purpurea.** 4 ft. (Chinese Beautyberry) Medium loam, moist, PH 6.0-7.5, sun

18 to 24 in.....	.35	.30	
2 to 3 ft.....	.45	.40	

CALYCANTHUS

—**floridus.** 5 ft. (Strawberry Shrub) Medium loam, moist, PH 6.0-7.5, sun or light shade, tolerant to wet soil.

15 to 18 in.....	.35	.30	
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.60	.50	

CAMPSIS

—**grandiflora.** 20 ft. (Chinese Trumpet creeper) Rich silty to clay loam, dry-moist, PH 6.0-7.5, sun.

2 year50	.40	
--------------	-----	-----	--

—**radicans.** 25 ft. Trumpet creeper) Sandy to silty clay loam, dry-moist, PH 6.0-7.5, sun or part shade.

2 year No. 1, \$150.00 per M..	.25	.22	.18
3 year No. 1, \$180.00 per M..	.30	.25	.20

CARAGANA

—**arborescens.** 12 ft. (Siberian Peashrub) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun or shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
6 to 8 ft.....	1.00	.90	.80

CARPINUS

betulus fastigiata 40' (pyramidal european hornbeam) Medium loam, moist, PH 6.0-7.5, sun or shade

5 to 6 ft. B&B.....	12.00	10.00	
---------------------	-------	-------	--

—**carolineana.** 35 ft. (American Hornbeam) Medium loam, moist, PH 6.0-7.5, sun or shade.

2 to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.50	3.00
4 to 5 ft. B&B.....	4.50	4.25	4.00
5 to 6 ft. B&B.....	5.50	5.25	5.00
6 to 8 ft. B&B.....	8.00	7.50	7.00
8 to 10 ft. B&B.....	12.00	11.00	10.00
1½ to 1¾ in. B&B.....	15.00	14.00	13.00

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

CASTANEA

—**dentata**. (60 ft. American Chestnut) Medium loam, moist, PH 5.5-7.0, sun.

4 to 5 ft.	4.50	4.00	
5 to 6 ft.	5.50	5.00	

CATALPA

—**speciosa**. 35 ft. (Western Catalpa) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.50	1.25	
8 to 10 ft.	2.00	1.50	

CELASTRUS

—**orbiculatus**. 15 ft. (Oriental Bittersweet) Medium loam, dry-moist, PH 5.0-7.0, sun or shade.

2 year No. 1	.40	.35	.30
3 year No. 1	.45	.40	.35

—**scandens**. 20 ft. (American Bittersweet) Medium loam, dry-moist, PH 5.0-7.0, sun or shade, fruits best in sun.

2 year No. 1	.40	.35	.30
3 year No. 1	.45	.40	.35

CELTIS

—**occidentalis**. 45 ft. (Hackberry) Sandy to silty clay moist, PH 6.0-7.5, sun, stand poor soil.

5 to 6 ft.	2.00	1.75	1.50
6 to 8 ft.	2.25	2.00	
8 to 10 ft.	3.00	2.50	
1¼ to 1½ in.	4.00	3.50	
1½ to 1¾ in.	5.00	4.50	
1¾ to 2 in.	6.00	5.50	
2 to 2½ in.	7.00	6.00	

CEPHALANTHUS

—**occidentalis**. 6 ft. (Buttonbush) Loam to silty clay moist, PH 6.0-7.5, sun to part shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50

CERCIS

Canadensis. 30 ft. (Judas Tree) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.85	.75	.70
4 to 5 ft.	1.25	1.15	1.00
5 to 6 ft.	2.00	1.75	
6 to 8 ft.	3.00	2.50	
8 to 10 ft.	3.25	3.00	
10 to 12 ft.	6.00	5.00	

CERCIDIPHYLLUM

Each
1-4 Each
5-24 Each
25-up

—**japonicum.** 25 ft. (Katsura Tree) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade.

3 to 4 ft. B&B.....	4.00	3.50	
4 to 5 ft. B&B.....	6.00	5.50	
5 to 6 ft. B&B.....	8.00	7.00	
6 to 8 ft. B&B.....	12.00	10.00	
14 to 16 ft. B&B.....	40.00	35.00	
16 to 18 ft. B&B.....	45.00	40.00	
18 to 20 ft. B&B.....	50.00	45.00	

CHAENOMELES (Cydonia)

—**japonica.** 5 ft. (Japan Quince) Sandy to silty clay, moist well drained, PH 6.0-7.5, sun or part shade.

18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40

—**japonica pygmaea.** 3 ft. (Dwarf Japan Quince) Sandy to silty clay, moist well drained, PH 6.0-7.5, sun or part shade.

15 to 18 in.....	.40	.35	.30
18 to 24 in.....	.50	.45	.40
2 to 3 ft.....	.60	.55	.50

—**japonica umbilicata.** 8 ft. (Navel Flowering Quince) Sandy to silty clay, moist drained, PH 6.0-7.5, sun or part shade.

15 to 18 in.....	.35	.30	
18 to 24 in.....	.50	.45	

CHIONANTHUS

—**virginica.** 15 ft. (White Fringe) Well drained medium loam, moist, PH 5.0-6.0, sun.

3 to 4 ft.....	1.00	.75	
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.50	2.00	
8 to 10 ft.....	3.50	3.00	

CHMAEGYPARIS

—**lawsoniana triomphe de Boskoop 40'** medium loam, well drained, PH 5.5-6.5 sun-partial shade.

2½ to 3 ft. B&B.....	3.50	3.00	
3 to 4 ft. B&B.....	4.50	4.00	

—**nootkatensis.** 65 ft. (Nootka Cypress) medium loam moist, well drained, PH 5.5-6.5, sun-partial shade

2½ to 3 ft. B&B.....	3.50	3.00	
3 to 4 ft. B&B.....	4.50	4.00	
4 to 5 ft. B&B.....	6.00	5.50	

—**obtusa crippei.** 8 ft. (Hinoki Cypress) rich, medium loam, moist, well drained, PH 5.5-6.5, sun-partial shade

2½ to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.75	3.50

Chmaecyparis (Continued)

		Each 1-4	Each 5-24	Each 25-up
—obtusa crippei aurea. 8 ft. (Golden Hinoki Cypress) rich, medium loam, moist, well drained, PH 5.5-6.5, sun-shade.				
2½ to 3 ft.	B&B.....	3.00	2.75	2.50
3 to 4 ft.	B&B.....	4.00	3.75	
—obtusa gracilis. 10 ft. (Slender Hinoki Cypress) rich, medium loam, moist, well drained, PH 5.5-6.5, sun-part shade.				
2½ to 3 ft.	B&B.....	3.00	2.75	2.50
3 to 4 ft.	B&B.....	4.00	3.75	
—obtusa gracilis aurea. 10 ft. rich, medium loam, moist, well drained, PH 5.5-6.5, sun-partial shade				
2 to 2½ ft.	B&B.....	2.75	2.50	2.25
2½ to 3 ft.	B&B.....	3.00	2.75	2.50
3 to 4 ft.	B&B.....	4.00	3.75	
4 to 5 ft.	B&B.....	4.50	4.00	
5 to 6 ft.	B&B.....	8.00	7.00	
6 to 7 ft.	B&B.....	10.00	9.00	
—obtusa nana, 5 ft. rich, medium loam, moist, well drained, PH 5.5-6.5, sun-part shade				
2 to 2½ ft.	B&B.....	2.75	2.50	2.25
2½ to 3 ft.	B&B.....	3.00	2.75	2.50
3 to 4 ft.	B&B.....	4.00	3.75	
—pisifera. 25 ft. (Sawara Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade				
18 to 24 in.	B&B.....	2.00	1.75	1.50
2 to 2½ ft.	B&B.....	2.25	2.00	1.75
2½ to 3 ft.	B&B.....	2.75	2.50	2.25
3 to 4 ft.	B&B.....	3.25	3.00	2.75
4 to 5 ft.	B&B.....	4.50	4.00	
5 to 6 ft.	B&B.....	6.00	5.50	
—pisifera aurea. 25 ft. (Golden Sawara Cypress) medium loam, moist, well drained, PH 6.0- 7.0, sun-partial shade				
18 to 24 in.	B&B.....	2.00*	1.75	1.50
2 to 2½ ft.	B&B.....	2.25	2.00	1.75
2½ to 3 ft.	B&B.....	2.75	2.50	2.25
3 to 4 ft.	B&B.....	3.25	3.00	2.75
4 to 5 ft.	B&B.....	4.50	4.00	
5 to 6 ft.	B&B.....	6.00	5.50	
—p. filifera. 10 ft. (Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun- partial shade				
15 to 18 in.	B&B.....	2.00	1.75	1.50
18 to 24 in.	B&B.....	2.50	2.25	2.00
2 to 2½ ft.	B&B.....	3.00	2.75	2.50
2½ to 3 ft.	B&B.....	4.00	3.75	3.50
3 to 4 ft.	B&B.....	6.00	5.50	
—p. filifera aurea. 6 ft. (Golden Thread Branched Cy- press) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade				
12 to 15 in.	B&B.....	2.00	1.75	1.50
15 to 18 in.	B&B.....	2.50	2.25	2.00
18 to 24 in.	B&B.....	3.00	2.75	2.50
24 to 30 in.	B&B.....	5.00	4.75	4.50
30 to 36 in.	B&B.....	6.00	5.50	

Chmaecyparis (Continued)

Each 1-4 Each 5-24 Each 25-up

—**p. filifera aurea variegata.** 8 ft. (Variegated Thread Branched Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade

15	to 18	in. B&B	2.00	1.75	
18	to 24	in. B&B	3.00	2.75	
2	to 2½	ft. B&B	5.00	4.50	

—**p. plumosa.** 20ft. (Plume Cypress) medium loam moist, well drained, PH 6.0-7.0, sun-partial shade

18	to 24	in. B&B	2.00	1.75	1.50
2	to 2½	ft. B&B	2.25	2.00	1.75
2½	to 3	ft. B&B	2.75	2.50	2.25
3	to 4	ft. B&B	3.25	3.00	
4	to 5	ft. B&B	4.50	4.00	
5	to 6	ft. B&B	6.00	5.50	

—**p. plumosa aurea.** 18ft. Golden Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade

18	to 24	in. B&B	2.00	1.75	1.50
2	to 2½	ft. B&B	2.25	2.00	1.75
2½	to 3	ft. B&B	2.75	2.50	2.25
3	to 4	ft. B&B	3.25	3.00	
4	to 5	ft. B&B	4.50	4.00	
5	to 6	ft. B&B	6.00	5.50	

—**p. plumosa argentea.** 15 ft. (Silver Tip Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade

15	to 18	in. B&B	2.50	2.00	
18	to 24	in. B&B	3.00	2.50	
24	to 30	in. B&B	4.00	3.50	

—**p. plumosa sulphurea.** 20 ft. (Sulphur Plume Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade

15	to 18	in. B&B	2.50	2.00	
18	to 24	in. B&B	3.00	2.50	

—**p. squarrosa veitchi.** 20 ft. (Gray Cypress) medium loam, moist, well drained, PH 6.0-7.0, sun-partial shade

18	to 24	in. B&B	2.00	1.75	1.50
2	to 2½	ft. B&B	2.25	2.00	1.75
2½	to 3	ft. B&B	2.75	2.50	2.25
3	to 4	ft. B&B	3.25	3.00	2.75

CLADRASTIS

—**lutea.** 35 ft. (Yellowwood) Medium loam, moist, PH 6.0-7.5, sun, high organic matter.

4	to 5	ft. B&B	6.00	5.00	
5	to 6	ft. B&B	7.00	6.00	

CLEMATIS

—**paniculata.** 20 ft. (Sweet Autumn Clematis) Rich, medium loam, moist well drained, PH 6.5-7.5, sun or part shade.

2	year Medium	.30	.25	.20
2	year No. 1	.40	.35	.30

	Each 1-4	Each 5-24	Each 25-up
Clematis (Continued)			
—hybrids, large flowering			
henryi (Snow-white)70	.60	
jackmanni (Violet-blue)70	.60	
Mad. Ed. Andre (Wine-red) ..	.70	.60	
— virginiana . 25' (Virgins-bower) rich, medium loam moist, well drained, PH 6.5-7.5 sun or part shade.			
2 year30	.25	
3 year35	.30	

CLETHRA

— alnifolia . 6 ft. (Sweet Pepperburr Bush) Woodsy moist, PH 4.5-5.5, sun or part shade, high or- ganic matter.			
18 to 24 in.35	.30	.25
2 to 3 ft.50	.45	.40
3 to 4 ft.60	.50	.45
4 to 5 ft.75	.65	.60

CLERODENDRON

— trichotomum . 6 ft. (Harlequin) Medium loam, moist, PH 6.0-7.5, sun or slight shade.			
3 to 4 ft.	1.00	.85	.75
4 to 5 ft.	1.25	1.10	1.00
5 to 6 ft.	1.50	1.25	

COLUTHEA

— arborescens . 10 ft. (Bladder Senna) Sandy to clay loam, dry-moist, PH 6.0-7.5, sun			
5 to 6 ft.85	.75	
6 to 8 ft.	1.00	.90	

COMPTONIA

— peregrina esplenifolia . 3 ft. (Sweet Fern) Porous sandy loam, dry, PH 5.0-6.0, sun-light shade.			
15 to 18 in.50	.45	.40
18 to 24 in.60	.55	.50

CORNUS

— alba elegantissima . 6 ft. (Silverblotch Dogwood) Medium loam, moist, PH 6.0-7.5, sun.			
18 to 24 in.45	.40	
2 to 3 ft.60	.55	.50
4 to 5 ft.85	.75	
— alba sibirica . 8 ft. (Coral Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.40	.35	.30
3 to 4 ft.45	.40	.35
4 to 5 ft.60	.55	.50
5 to 6 ft.70	.65	.60
6 to 8 ft.	1.00	.90	.75
— alba spaethi . 6 ft. (Golden Leaved Dogwood) Med- ium loam, moist, PH 6.0-7.5, sun.			
18 to 24 in.45	.40	.35
2 to 3 ft.60	.50	
3 to 4 ft.75	.60	

CORNUS — Continued

	Each 1-4	Each 5-24	Each 25-up
—amomum. 8 ft. (Silky Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
—baileyi. 10 ft. (Bailey Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
—florida. 20 ft. (White Flowering Dogwood) Good medium loam, moist well drained, PH 5.0-6.5, sun or part shade.			
3 to 4 ft. B&B.	1.50	1.25	
4 to 5 ft. B&B.	3.50	3.25	3.00
5 to 6 ft. B&B.	4.50	4.25	4.00
6 to 8 ft. B&B.	6.00	5.50	5.00
8 to 10 ft. B&B.	8.00	7.50	7.00
10 to 12 ft. B&B.	12.00	10.00	
—florida tree form. Same as above			
2 to 2½ in. B&B.	15.00	12.50	
2½ to 3 in. B&B.	20.00	15.00	
3 to 3½ in. B&B.	25.00	20.00	
3½ to 4 in. B&B.	30.00	25.00	
4 to 5 in. B&B.	40.00	35.00	
—florida rubra. 20 ft. (Red Flowering Dogwood) Good medium loam, moist, well drained, PH 5.0-6.5, sun or part shade.			
5 to 6 ft. B&B.	5.50	5.25	5.00
6 to 8 ft. B&B.	9.00	8.00	7.00
8 to 10 ft. B&B.	12.00	11.00	10.00
—mas. 20 ft. (Cornelian Cherry) Good, medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.90	.80	.70
4 to 5 ft.	1.25	1.15	1.00
5 to 6 ft.	2.00	1.75	1.50
6 to 8 ft.	2.50	2.25	2.00
—paniculata. (see racemosa)			
—rasemosa. 12 ft. (Gray Dogwood) Medium loam, moist, PH 6.0-7.5, sun or shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
6 to 8 ft.	1.00	.90	.75
—sanguinea. 10 ft. (Bloodtwig Dogwood) Medium loam moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50

	Each 1-4	Each 5-24	Each 25-up
CORNUS — Continued			
— stolonifera . 10 ft. (Red Osier Dogwood) Medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
6 to 8 ft.....	1.00	.90	.75

— stolonifera flaviramae . 6 ft. (Golden Twig Dogwood) Medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50

CORYLUS

— america . 12 ft. (American Hazelnut) Medium loam, moist, PH 6.0-7.0, sun or medium shade.			
4 to 5 ft.....	.90	.80	.75
5 to 6 ft.....	1.00	.90	
6 to 8 ft.....	1.25	1.00	
8 to 10 ft.....	2.00	1.50	

COTONEASTER

— acutifolia . 12 ft. (Peking Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft.50	.40	
3 to 4 ft.60	.50	

— apiculata . 5 ft. (Large Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun or slight shade.			
12 to 15 in. B&B.....	1.50	1.35	1.25
15 to 18 in. B&B.....	2.00	1.75	1.50

— bullata . 6 ft. (Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft. B&B.....	2.00	1.75	
3 to 4 ft. B&B.....	2.25	2.00	1.75
4 to 5 ft. B&B.....	2.75	2.50	2.25

— dielsiana . 6 ft. (Diel's Cotoneaster) Rich medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft. B&B.....	2.00	1.75	
3 to 4 ft. B&B.....	2.50	2.00	

— divericata . 6 ft. (Spreading Cotoneaster). Rich, medium loam, moist, PH 6.0-7.5, sun or slight shade.			
18 to 24 in. B&B.....	1.25	1.15	1.00
2 to 3 ft. B&B.....	2.00	1.75	1.50
3 to 4 ft. B&B.....	2.25	2.00	1.75
4 to 5 ft. B&B.....	2.75	2.50	2.25

— horizontalis . 3 ft. Prostrate Quinceberry) Rich, medium loam, moist, PH 6.0-7.5, sun.			
12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	2.00	1.75	1.50
18 to 24 in. B&B.....	2.25	2.00	1.75
24 to 30 in. B&B.....	2.75	2.50	2.25

COTONEASTER — Continued

	Each 1-4	Each 5-24	Each 25-up
—hupehensis. 5 ft. (Hupen Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.			
18 to 24 in. B&B	1.25	1.15	1.00
2 to 3 ft. B&B	2.00	1.75	1.50
3 to 4 ft. B&B	2.25	2.00	1.75
—integerrima. 6 ft. (Bright Red Berries) Rich, medium loam, moist, PH 6.0-7.5, sun.			
2 to 3 ft. B&B	2.00	1.75	
3 to 4 ft. B&B	2.25	2.00	
—lucida. 12 ft. Rich loam, moist, PH 6.0-7.5, sun or slight shade.			
2 to 3 ft. B&B	1.75	1.50	
3 to 4 ft. B&B	2.25	2.00	
—microphylla. 15 ft. (Rockspray) Rich, medium loam, moist, PH 6.0-7.5, sun.			
12 to 15 in. B&B	1.25	1.15	1.00
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	2.75	2.50	2.25
—rotundifolia. 6 ft. (Roundleaf Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun.			
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	2.75	2.50	
—salicifolia. 10 ft. (Willowleaf Cotoneaster) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade.			
2 to 3 ft. B&B	2.00	1.75	1.50
3 to 4 ft. B&B	2.25	2.00	
—wilsoni. 4 ft. (Wilson Cotoneaster) Rich, medium loam, moist well drained, PH 6.0-7.5, sun.			
12 to 15 in. B&B	1.25	1.15	1.00
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.25	2.00	1.75
24 to 30 in. B&B	2.75	2.50	2.25

CRATAEGUS

—coccinea. 15 ft. (Thicket Hawthorn) Medium loam, or heavy soil, moist, PH 6.0-7.5, sun.			
3 to 4 ft.	1.50	1.35	1.25
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.50	2.25	2.00
6 to 8 ft.	3.00	2.75	2.50
8 to 10 ft.	4.00	3.50	3.00
—calpodendron 20 ft. (Pear hawthorn) Medium loam, or heavy soil, moist, PH 6.0-7.5, sun.			
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.50	2.25	2.00
6 to 8 ft.	3.00	2.75	2.50
8 to 10 ft.	3.50	3.25	3.00
—crusgalli. 15 ft. (Cockspur Thorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.			
3 to 4 ft.	1.50	1.35	1.25
4 to 5 ft.	2.00	1.75	1.50
5 to 6 ft.	2.50	2.25	2.00
6 to 8 ft.	3.00	2.75	2.50

CRATAEGUS — Continued

—**mollis**. 18 ft. (Downy Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft.....	1.50	1.35	1.25
4 to 5 ft.....	2.00	1.75	1.50
5 to 6 ft.....	2.50	2.25	2.00
6 to 8 ft.....	3.00	2.75	2.50
8 to 10 ft.....	4.00	3.50	3.00
10 to 12 ft.....	5.00	4.50	4.00

—**nitida**. 15 ft. (Glossy Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft.....	1.50	1.35	1.25
4 to 5 ft.....	2.00	1.75	1.50
5 to 6 ft.....	2.50	2.25	2.00
6 to 8 ft.....	3.00	2.75	

—**oxyacantha**. 12 ft. (English Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun or part shade.

	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft.....	1.50	1.35	
4 to 5 ft.....	2.00	1.75	
5 to 6 ft.....	2.50	2.25	
6 to 8 ft.....	3.00	2.75	
8 to 10 ft.....	3.50	3.25	

—**oxyacantha pauli**. 15 ft. (Paul's Scarlet Thorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft.....	1.75	1.50	
4 to 5 ft.....	2.25	2.00	

—**phaenopyrum (cordata)** 20 ft. (Washington Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun or part shade.

	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft.....	1.50	1.35	1.25
4 to 5 ft.....	2.00	1.75	1.50
5 to 6 ft.....	2.50	2.25	2.00
6 to 8 ft.....	3.00	2.75	2.50
8 to 10 ft.....	3.50	3.25	3.00
10 to 12 ft.....	4.50	4.00	

—**prunifolia**. 25 ft. (Plumleaf Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

	Each 1-4	Each 5-24	Each 25-up
3 to 4 ft.....	1.50	1.35	1.25
4 to 5 ft.....	2.00	1.75	1.50
5 to 6 ft.....	2.50	2.25	2.00

—**punctata**. 22 ft. (Dotted Hawthorn) Medium loam or heavy soil, moist, PH 6.0-7.5, sun.

	Each 1-4	Each 5-24	Each 25-up
4 to 5 ft.....	2.00	1.75	
5 to 6 ft.....	2.50	2.25	
6 to 8 ft.....	3.00	2.75	

CYDONIA See Chaenomeles.

DAPHNE

—**cneorum**. 15 in. (Garland Flower) Porous peaty or sandy, moist well drained, PH 5.5-7.5, sun.

	Each 1-4	Each 5-24	Each 25-up
6 to 8 in. B&B.....	1.00	.85	.75
8 to 12 in. B&B.....	1.25	1.15	1.00
12 to 15 in. B&B.....	1.75	1.65	1.50

DESMODIUM (see Lespedeza)

DEUTZIA

Each 1-4 Each 5-24 Each 25-up

—**gracilis**. 3 ft. (Slender Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.

12 to 15 in.	.35	.30	.25
15 to 18 in.	.45	.40	.35
18 to 24 in.	.50	.45	.40
24 to 30 in.	.55	.50	.45

—**gracilis rosea**. 4 ft. (Rose Panicle Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.

18 to 24 in.	.50	.45	.40
24 to 30 in.	.55	.50	.45
30 to 36 in.	.60	.55	.50

—**lemoini**. 5 ft. (Lemoine Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun or partial shade.

18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.50	

—**scabra candissima**. 12 ft. (Snowflake Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

—**scabra crenata rosea plena**. 7 ft. (Double Rose Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**scabra pride of Rochester**. 7 ft. (Double Rose Deutzia) Sandy to silty loam, moist well drained, PH 6.0-7.5, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50

DIERVILLA

—**trifida**. 4 ft. (Dwarf Bush Honeysuckle) Sandy to silty loam, moist, PH 6.0-7.5, sun or part shade.

18 to 24 in.	.35	.30	
2 to 3 ft.	.45	.40	
3 to 4 ft.	.55	.50	

DIOSPYROS

—**virginiana**. 15 ft. (Common Persimmon) Silty clay loam, moist, PH 6.0-7.5, sun or part shade.

6 to 8 ft.	3.00	2.50	
8 to 10 ft.	3.50	3.00	
1½ to 1¾ in.	4.50	4.00	
1¾ to 2 in.	5.50	5.00	
2 to 2½ in.	6.50	6.00	

ELEAGNUS

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**angustifolia**. 15 ft. (Russian Olive) Silty clay, moist well drained, PH 6.0-7.5, sun.

18 to 24 in.	.35	.30	.25
3 to 4 ft.	.50	.45	
4 to 5 ft.	.60	.55	
5 to 6 ft.	.80	.70	.65
6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft.	2.00	1.75	1.50

—**argentea**. 12 ft. (Silverberry) Silty clay, moist well drained, PH 6.0-7.5, sun or part shade.

3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.75	.70	.65
5 to 6 ft.	1.00	.90	.80

—**longipes**. 6 ft. (Cherry Eleagnus) Silty clay, moist well drained, PH 6.0-7.5, sun or part shade.

18 to 24 in.	.60	.50	
2 to 3 ft.	.80	.65	

—**umbellata**. 12 ft. (Autumn Eleagnus) Silty clay, moist well drained, PH 6.0-7.5, sun or part shade.

3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.80	.70	.60
5 to 6 ft.	1.00	.90	.80
6 to 8 ft.	1.50	1.25	

EUONYMUS

—**alatus**. 8 ft. (Winged Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.

18 to 24 in.	.60	.55	.50
2 to 3 ft.	.80	.70	.60
3 to 4 ft.	1.00	.90	.80
4 to 5 ft.	1.50	1.35	1.25
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.00	2.75	2.50

—**alatus compacta**. 6 ft. (Dwarf Winged Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.

18 to 24 in.	.80	.70	.60
24 to 30 in.	.90	.80	.70
30 to 36 in.	1.25	1.15	1.00

—**americanus**. 8 ft. (Brook Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or part shade, tolerates wet soil.

2 to 3 ft.	.50	.45	
3 to 4 ft.	.60	.50	

—**atropurpureus**. 15 ft. (Wahoo) Silty clay loam, moist, PH 5.5-7.5, sun or part shade, tolerates wet soil.

4 to 5 ft.	.70	.60	
5 to 6 ft.	.90	.80	

—**bungeanus**. 15 ft. (Winterberry euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or medium shade.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.55	.50	.45
4 to 5 ft.	.65	.60	.55
5 to 6 ft.	.80	.75	.65

EUONYMUS — Continued

	Each 1-4	Each 5-24	Each 25-up
—europaeus. 15 ft. (European Burning Bush) Silty clay loam, moist, PH 5.5-7.5, sun-shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.65	.60	.55
5 to 6 ft.....	.80	.75	.65
6 to 8 ft.....	1.25	1.00	
—fortuni radicans 1 ft. (Wintercreeper) Sandy to silty clay, moist, PH 5.5-7.5, sun or shade.			
9 to 12 in.....	.40	.35	.30
12 to 15 in.....	.45	.40	.35
15 to 18 in.....	.55	.50	.45
—f. carriere 3 ft. (Glossy Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun-shade.			
12 to 15 in.....	.45	.40	.35
15 to 18 in.....	.60	.55	.50
18 to 24 in.....	.70	.65	.60
—f. coloratus. 1 ft. (Red-leaved wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade.			
12 to 15 in.....	.40	.35	.30
15 to 18 in.....	.50	.45	.40
18 to 24 in.....	.60	.55	.50
—f. erecta. 3 ft. (Upright Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade.			
12 to 15 in.....	.40	.35	.30
15 to 18 in.....	.50	.45	.40
18 to 24 in.....	.60	.55	.50
24 to 30 in.....	.70	.65	.60
—f. vegetus. 4 ft. (Largeleaf Wintercreeper) Silty clay loam, moist, PH 5.5-7.5, sun or shade.			
12 to 15 in.....	.60	.50	
15 to 18 in.....	.85	.75	
—kiautschovicus (patens) 8 ft. Sandy to silty clay, moist, well drained, PH 5.5-7.5, sun or shade.			
12 to 15 in.....	.70	.60	
15 to 18 in.....	.80	.75	
—oxyphyllus. 15 ft. Silty clay loam, moist, PH 5.5-7.5, sun.			
3 to 4 ft.....	.60	.55	.50
4 to 5 ft.....	.80	.70	.60
5 to 6 ft.....	1.00	.90	.80
6 to 8 ft.....	1.50	1.35	1.25
—patens (see kiautschovicus).			
—yedoensis. 10 ft. (Yeddo Euonymus) Silty clay loam, moist, PH 5.5-7.5, sun or part shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.65	.60	.55
5 to 6 ft.....	.85	.75	.65
6 to 8 ft.....	1.25	1.15	1.00

EXOCHORDIA

—**grandiflora.** 10 ft. (Pearl Bush) Medium loam, moist well drained, PH 6.0-7.5, sun.

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.....	.45	.40	
5 to 6 ft.....	.85	.75	
6 to 8 ft.....	1.25	1.15	

FAGUS

—**grandiflora** 60 ft. (American Beech) Medium loam, moist well drained, PH 5.0-7.0, sun or part shade, avoid alkaline soil.

2 to 3 ft. B&B.....	3.50	3.00	
3 to 4 ft. B&B.....	4.50	4.00	
4 to 5 ft. B&B.....	5.50	5.00	

—**sylvatica.** 75 ft. (European Beech) Medium loam, moist, well drained, PH 6.0-7.0, sun-slight

2 to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.75	3.50
4 to 5 ft. B&B.....	5.00	4.75	4.50
5 to 6 ft. B&B.....	7.00	6.50	6.00
6 to 8 ft. B&B.....	10.00	9.00	8.00

—**sylvatica heterophylla.** 40 ft. (Fernleaf Beech) Medium loam, moist well drained, PH 5.0-7.0, sun or shade.

2 to 3 ft. B&B.....	4.50	4.00	
3 to 4 ft. B&B.....	6.50	6.00	
4 to 5 ft. B&B.....	11.00	10.00	

—**sylvatica pendula.** 40 ft. (Weeping Beech) Medium loam, moist well drained, PH 5.0-7.0, sun or part shade.

6 to 8 ft. B&B.....	25.00	20.00	
8 to 10 ft. B&B.....	30.00	25.00	

—**sylvatica riversi.** 45 ft. (Rivers Purple Beech) Medium loam, moist well drained, PH 5.0-7.0, sun or part shade.

2 to 3 ft. B&B.....	4.00	3.50	3.00
3 to 4 ft. B&B.....	5.00	4.50	4.00
4 to 5 ft. B&B.....	6.50	6.00	
5 to 6 ft. B&B.....	11.00	10.00	
6 to 8 ft. B&B.....	20.00	15.00	
8 to 10 ft. B&B.....	25.00	20.00	
10 to 12 ft. B&B.....	27.50	25.00	

Larger sizes. Price on request.

—**sylvatica tricolor.** 40 ft. Medium loam, moist well drained, PH 5.0-7.0, sun or part shade.

18 to 24 in. B&B.....	3.50	3.00	
3 to 4 ft. B&B.....	6.00		
4 to 5 ft. B&B.....	10.00		

FORSYTHIA

—**intermedia.** 7 ft. (Border Forsythia) Rich medium loam, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60

FORSYTHIA — Continued

Each 1-4 Each 5-24 Each 25-up

—**intermedia spectabilis.** 8 ft. (Showy Border Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**ovata.** 8 ft. (Korean Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50

—**suspensa.** 5 ft. (Weeping Forsythia) Rich medium loam, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**suspensa fortunei.** 7 ft. (Fortune Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or light shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**viridissima.** 5 ft. (Greenstem Forsythia) Rich, medium loam, moist, PH 6.0-7.5, sun or part shade

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

FRAXINUS

—**americana.** 60 ft. (White Ash). Medium loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.25	2.00	1.75
1¼ to 1½ in.	2.50	2.25	2.00
1½ to 1¾ in.	3.00	2.75	2.50
1¾ to 2 in.	4.00	3.75	3.50
2 to 2½ in.	5.50	5.00	
2½ to 3 in.	7.00	6.00	
3 to 3½ in.	8.00	7.00	

—**excelsior.** 90 ft. (European Ash) Medium loam, moist PH 6.0-7.5, sun.

6 to 8 ft.	2.00	1.75	
8 to 10 ft.	2.25	2.00	
1¼ to 1½ in.	2.50	2.25	

—**lanceolata.** 60 ft. (Green Ash) Medium loam, moist, PH 6.0-7.5, sun, tolerates wet soil.

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.25	2.00	1.75
1¼ to 1½ in.	2.50	2.25	2.00
1½ to 1¾ in.	3.00	2.75	2.50
1¾ to 2 in.	4.00	3.75	3.50
2 to 2½ in.	5.50	5.00	
2½ to 3 in.	7.00	6.00	

	Each 1-4	Each 5-24	Each 25-up
Fraxinus (Continued)			
— mandshurica. 75 ft. (Manchurian Ash) Medium loam, moist, PH 6.0-7.5, sun.			
6 to 8 ft.....	2.50	2.25	2.00
8 to 10 ft.....	3.00	2.75	2.50
1¼ to 1½ in.....	3.50	3.00	
1½ to 1¾ in.....	4.00	3.50	
— quadrangulata. 80 ft. (Blue Ash) Medium loam, moist, PH 6.0-7.5, sun.			
1¾ to 2 in.....	5.00	4.50	
2 to 2½ in.....	6.00	5.50	

GINKGO

— biloba. 60 ft. (Maidenhair Tree) Rich sandy to silty loam, moist well drained, PH 5.5-7.5, sun.			
5 to 6 ft.....	2.50	2.25	2.00
6 to 8 ft.....	3.00	2.75	2.50
8 to 10 ft.....	3.50	3.25	3.00
1¼ to 1½ in.....	4.00	3.75	
1½ to 1¾ in.....	5.00	4.50	
1¾ to 2 in.....	6.50	6.00	

GLEDITSIA

— triocanthos. 60 ft. (Honey Locust) Rich, silty clay loam, moist, PH 6.0-8.0, sun.			
5 to 6 ft.....	1.25	1.15	1.00
6 to 8 ft.....	2.00	1.75	1.50
1¼ to 1½ in.....	3.00	2.75	2.50
1½ to 1¾ in.....	3.50	3.25	3.00
1¾ to 2 in.....	4.50	4.25	4.00
2 to 2½ in.....	6.00	5.50	
2½ to 3 in.....	8.50	8.00	
— triocanthos inermis. 50 ft. (Thornless Honey Locust) Rich, silty clay loam, moist, PH 6.0-8.0, sun.			
5 to 6 ft.....	1.75	1.50	1.25
6 to 8 ft.....	2.25	2.00	1.75
8 to 10 ft.....	2.75	2.50	2.25
1¼ to 1½ in.....	3.25	3.00	2.75
1½ to 1¾ in.....	4.00	3.75	3.50
1¾ to 2 in.....	5.50	5.25	5.00
2 to 2½ in.....	8.00	7.50	7.00
3 to 3½ in.....	11.00	10.00	

GYMNOCLADUS

— dioicus. 40 ft. (Kentucky Coffee Tree) Rich, medium loam, moist, PH 6.0-8.0, sun.			
1¼ to 1½ in.....	4.50	4.00	
1½ to 1¾ in.....	5.50	5.00	
2 to 2½ in.....	7.00	6.50	

HALESIA

— carolina (tetraptera). 14 ft. (Great Silverbell) Rich medium loam, moist, well drained, PH 5.5-7.5, sun.			
6 to 8 ft.....	1.75	1.50	1.25
8 to 10 ft.....	2.50	2.25	2.00
10 to 12 ft.....	4.50	4.00	

HAMAMELIS

	Each 1-4	Each 5-24	Each 25-up
— virginiana . 15 ft. (Witch-Hazel) Medium loam, moist well drained, PH 6.0-7.0, sun-medium shade.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.55	.50	.45
4 to 5 ft.....	.70	.65	.60
5 to 6 ft.....	1.00	.90	.80
6 to 8 ft.....	1.25	1.00	

HIBISCUS — **Syriacus**. 15 ft. (Althea) Deep, sandy to silty loam, moist, PH 6.5-7.5, sun or part shade.

- anemonaeflorus** — double rose
- ardens** — double violet
- banner** — double white, red stripes
- coelestis** — single blue
- lucy** — double red
- pulcherrima** — double flesh, red center
- totus albus** — single white

2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.55	.50	.45

HYDRANGEA

—**arborescens grandiflora**. 6 ft. (Hills of Snow) Medium to silty clay loam, moist, PH 6.5-8.0, sun-slight shade.

12 to 18 in.....	.35	.32	.30
18 to 24 in.....	.45	.40	.35

—**nikko blue**. 3 ft. (Hardy blue hydrangea) Medium loam, moist, PH 6.0-7.5, sun.

12 to 15 in.....	.50	.45	
2 to 3 ft.....	.50	.45	.40

—**paniculata grandiflora**. 7 ft. (Peegee Hydrangea) Medium to silty clay loam, moist, PH 6.0-7.5, sun.

12 to 18 in.....	.35	.30	.25
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.50	.45	.40

HYPERICUM

—**aureum**. 4 ft. (Golden St. Johnswort) Sandy to medium loam, moist well drained, PH 6.5-8.0, sun-slight shade.

18 to 24 in.....	.40	.35	
2 to 2½ ft.....	.45	.40	

—**densiflorum**. 4 ft. (St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.

18 to 24 in.....	.40	.35	.30
2 to 2½ ft.....	.45	.40	.35
2½ to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50

—**moserianum**. 2 ft. (Goldflower) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.

15 to 18 in.....	.40	.35	
18 to 24 in.....	.45	.40	

HYPERICUM — Continued

—**prolificum.** 5 ft. (Shrubby St. Johnswort) Sandy to medium loam, moist, well drained, PH 6.5-8.0, sun-slight shade.

			Each 1-4	Each 5-24	Each 25-up
18	to	24 in.	.40	.35	.30
2	to	2½ ft.	.45	.40	.35
2½	to	3 ft.	.50	.45	.40
3	to	4 ft.	.60	.55	.50

ILEX

—**crenata.** 10 ft. (Japanese Holly) Medium loam, moist well drained, PH 5.5-7.0, sun-part shade.

15	to	18 in.	B&B	2.00	1.75
18	to	24 in.	B&B	2.50	2.25
2	to	3 ft.	B&B	4.00	3.50
3	to	4 ft.	B&B	6.50	6.00
4	to	5 ft.	B&B	8.00	7.50

—**glabra.** 5 ft. (Ink Berry) Medium loam, moist, PH 4.5-6.0, sun or shade.

12	to	15 in.	B&B	1.50	1.35	1.25
15	to	18 in.	B&B	2.00	1.75	1.50
18	to	24 in.	B&B	2.50	2.25	2.00
2	to	2½ ft.	B&B	3.00	2.75	2.50
2½	to	3 ft.	B&B	3.50	3.25	3.00
3	to	3½ ft.	B&B	4.50	4.25	4.00
3½	to	4 ft.	B&B	6.00	5.50	5.00

—**opaca.** 20 ft. (American Holly) Sandy to silty clay, moist, well drained, PH 5.0-7.0, sun-part shade.

18	to	24 in.	B&B	3.00	2.75	2.50
2	to	3 ft.	B&B	4.00	3.75	3.50
3	to	4 ft.	B&B	5.50	5.00	
6	to	8 ft.	B&B	12.00	10.00	

—**verticillata.** 6 ft. (Winterberry) Light to medium loam, moist, well drained, PH 5.0-6.0, sun or part shade.

2	to	3 ft.		.50	.45	.40
3	to	4 ft.		.60	.55	.50
4	to	5 ft.		.90	.80	.75
5	to	6 ft.		1.25	1.15	1.00
6	to	8 ft.		1.50	1.35	1.25

JUGLANS

—**cinerea.** 75 ft. (Butternut) Medium loam, moist, PH 6.0-7.5, sun.

8	to	10 ft.		4.00	3.50
---	----	--------	--	------	------

—**nigra.** 80 ft. (Black Walnut) Medium loam, moist, PH 6.0-7.5, sun.

6	to	8 ft.		2.50	2.00
8	to	10 ft.		3.50	3.00
1½	to	2 in.		4.50	4.00
2	to	2½ in.		5.50	5.00
2½	to	3 in.		6.50	6.00

—**sieboldiana.** 50 ft. (Japanese Walnut) Medium loam, moist, PH 6.0-7.5, sun.

6	to	8 ft.		2.50	2.00
8	to	10 ft.		3.50	3.00
1¼	to	1½ in.		4.50	4.00

JUNIPERUS

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**chinensis**. 20 ft. (Chinese Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

3 to 4 ft. B&B.....	4.25	4.00
4 to 5 ft. B&B.....	4.75	4.50
5 to 6 ft. B&B.....	7.00	6.50

—**chinensis columnaris glauca**. 20 ft. (Blue Chinese Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

2 to 2½ ft. B&B.....	2.50	2.25	2.00
2½ to 3 ft. B&B.....	3.25	3.00	2.75
3 to 4 ft. B&B.....	4.25	4.00	3.75
4 to 5 ft. B&B.....	4.75	4.50	

—**chinensis mascula**. 12 ft. Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

2½ to 3 ft. B&B.....	3.25	3.00	2.75
3 to 4 ft. B&B.....	4.25	4.00	
4 to 5 ft. B&B.....	4.75	4.50	
6 to 7 ft. B&B.....	10.00	9.00	
7 to 8 ft. B&B.....	12.00	10.00	
8 to 9 ft. B&B.....	15.00	12.00	

—**chinensis pfitzeriana**. 6 ft. (Pfitzer Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. spreading B&B....	1.50	1.35	1.25
15 to 18 in. spreading B&B....	1.75	1.65	1.50
18 to 24 in. spreading B&B....	2.25	2.00	1.75
24 to 30 in. spreading B&B....	2.75	2.50	2.25
30 to 36 in. spreading B&B....	4.00	3.75	3.50
3 to 4 ft. spreading B&B....	6.00	5.50	5.00
4 to 4½ ft. B&B.....	7.00	6.50	6.00

—**pfitzeriana Kallay's Compacta**. Same as above

12 to 15 in. B&B.....	1.50	1.35	1.25
15 to 18 in. B&B.....	1.75	1.65	1.50
18 to 24 in. B&B.....	2.25	2.00	1.75
24 to 30 in. B&B.....	2.75	2.50	2.25
30 to 36 in. B&B.....	4.00	3.75	3.50

—**chinensis sargentii**. 1½ ft. (Sargent Juniper) Medium to silty clay, moist, well drained, PH 5.5-7.0, sun.

15 to 18 in. B&B.....	3.00	2.50
18 to 24 in. B&B.....	3.50	3.00
24 to 30 in. B&B.....	4.00	3.50

—**communis depressa**. 2 ft. (Prostrate Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	1.50	1.35	1.25
15 to 18 in. B&B.....	1.75	1.65	1.50

—**communis depressa aureo spica** 2 ft. (Golden Prostrate Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B.....	2.25	2.00
-----------------------	------	------

JUNIPERUS — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**communis hibernica.** 15 in. (Irish Juniper) Medium to silty clay loam, moist, well drained, PH 5.5-7.0, sun.

18 to 24 in. B&B	1.50	1.35	1.25
24 to 30 in. B&B	1.75	1.65	1.50
30 to 36 in. B&B	2.25	2.00	1.75
3 to 4 ft. B&B	2.75	2.50	2.25
4 to 5 ft. B&B	4.00	3.50	3.25

horizontalis plumosa. 2 ft. (Andorra Juniper) Medium to silty clay loam, moist, well drained PH 5.5-7.0, sun.

12 to 15 in. B&B	1.40	1.30	1.15
15 to 18 in. B&B	1.60	1.50	1.40
18 to 24 in. B&B	2.00	1.80	1.65
24 to 30 in. B&B	2.75	2.50	2.25
30 to 36 in. B&B	3.50	3.25	3.00

—**excelsa stricta.** 12 ft. (Spiney Greek Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.

12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	3.00	2.75	2.50
30 to 36 in. B&B	4.00	3.50	

—**horizontalis.** 1 ft. (Creeping Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or slight shade.

12 to 15 in. B&B	1.25	1.15	1.00
15 to 18 in. B&B	1.50	1.35	1.25
18 to 24 in. B&B	2.00	1.75	1.50
24 to 30 in. B&B	2.50	2.25	2.00
30 to 36 in. B&B	3.00	2.75	2.50

—**horizontalis douglasi.** 1 ft. (Creeping Savin) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or part shade.

12 to 15 in. B&B	1.25	1.15	1.00
15 to 18 in. B&B	1.50	1.35	1.25
18 to 24 in. B&B	2.00	1.75	1.50
24 to 30 in. B&B	2.50	2.25	2.00
30 to 36 in. B&B	3.00	2.75	2.50

—**horizontalis glauca.** 1 ft. (Blue Creeping Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun or part shade.

12 to 15 in. B&B	1.25	1.15	1.00
15 to 18 in. B&B	1.50	1.35	1.25
18 to 24 in. B&B	2.00	1.75	1.50
24 to 30 in. B&B	2.50	2.25	2.00
30 to 36 in. B&B	3.00	2.75	2.50

—**japonica syn. procumbens.** 3 ft. (Japanese Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.

18 to 24 in. B&B	2.00	1.75	
24 to 30 in. B&B	2.50	2.25	

JUNIPERUS — Continued

Each
1-4 Each
5-24 Each
25-up

— sabina . 5 ft. (Savin Juniper) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B	1.25	1.15	1.00
15 to 18 in. B&B	1.50	1.35	1.25
18 to 24 in. B&B	1.75	1.65	1.50
24 to 30 in. B&B	2.50	2.25	2.00
30 to 36 in. B&B	3.00	2.75	2.50
— sabina tamariscifolia . 1½ ft. (Tamarix Savin) Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B	1.50	1.35	
15 to 18 in. B&B	1.75	1.65	
— sabina von ehron . 10 ft. Sandy to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	1.75	1.65	1.50
— scopularum Chandlers Blue . 25 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2 to 2½ ft. B&B	2.25	2.00	1.75
2½ to 3 ft. B&B	3.25	3.00	2.75
3 to 4 ft. B&B	4.25	4.00	3.75
— scopularum hill's silver . 20 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2 to 2½ ft. B&B	2.25	2.00	1.75
2½ to 3 ft. B&B	3.25	3.00	2.75
3 to 4 ft. B&B	4.25	4.00	3.75
4 to 5 ft. B&B	4.75	4.50	
5 to 6 ft. B&B	7.00	6.50	
— squamata meyeri . 4 ft. (Meyer's Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
12 to 15 in. B&B	1.50	1.35	1.25
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	3.00	2.75	2.50
30 to 36 in. B&B	4.00	3.50	
— virginiana . 25 ft. (Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2½ to 3 ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	4.00	3.75	3.50
4 to 5 ft. B&B	4.50	4.25	
5 to 6 ft. B&B	7.00	6.50	
— vir. burki, syn. virg- venusta . 15 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.			
2½ to 3 ft. B&B	3.25	3.00	2.75
3 to 4 ft. B&B	4.25	4.00	3.75
4 to 5 ft. B&B	4.75	4.50	4.25
5 to 6 ft. B&B	7.50	7.00	6.50

JUNIPERUS — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**virg. canaerti.** 18 ft. (Cannert Red Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	3.25	3.00	2.75
3	to 4 ft. B&B	4.25	4.00	3.75
4	to 5 ft. B&B	4.75	4.50	4.25
5	to 6 ft. B&B	7.50	7.00	6.50
6	to 7 ft. B&B	9.00	8.00	
7	to 8 ft. B&B	12.00	10.00	

—**virg. canaerti Kallay's type.** 20 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	3.25	3.00	2.75
3	to 4 ft. B&B	4.25	4.00	3.75
4	to 5 ft. B&B	4.75	4.50	4.25
5	to 6 ft. B&B	7.50	7.00	

—**virg. elegantissima lee.** 5 ft. (Goldtip Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to 2½ ft. B&B	2.25	2.00
2½	to 3 ft. B&B	3.25	3.00
3	to 4 ft. B&B	4.25	4.00
6	to 7 ft. B&B	9.00	8.00

—**virg. glauca.** 20 ft. (Blue Cedar) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	3.25	3.00	2.75
3	to 4 ft. B&B	4.25	4.00	3.75
4	to 5 ft. B&B	4.75	4.50	
5	to 6 ft. B&B	7.50	7.00	
6	to 7 ft. B&B	9.00	8.00	

—**virg. globosa.** 4 ft. (Globe Juniper) Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

15	to 18 in. B&B	2.00	1.75
18	to 24 in. B&B	3.00	2.50

—**virg. keteleeri.** 15 ft. Medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun.

2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	3.25	3.00	2.75
3	to 4 ft. B&B	4.25	4.00	3.75
4	to 5 ft. B&B	4.75	4.50	
5	to 6 ft. B&B	7.50	7.00	
6	to 7 ft. B&B	9.00	8.00	
7	to 8 ft. B&B	12.00	10.00	
8	to 9 ft. B&B	15.00	13.00	
9	to 10 ft. B&B	17.50	15.00	
10	to 12 ft. B&B	22.50	20.00	

JUNIPERUS — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**pyramidaformia**. 20 ft. (Hill's Pyramid Juniper)
Medium loam to silty clay, moist, well drained
PH 5.5-7.0, sun.

2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	3.25	3.00	2.75
3	to 4 ft. B&B	4.25	4.00	3.75
4	to 5 ft. B&B	4.75	4.50	

—**virg. schottii**. 18 ft. (Schott's Red Cedar) Medium
loam to silty clay, moist, well drained, PH
5.5-7.0, sun.

2	to 2½ ft. B&B	2.25	2.00	1.75
2½	to 3 ft. B&B	3.25	3.00	2.75
3	to 4 ft. B&B	4.25	4.00	3.75
4	to 5 ft. B&B	4.75	4.50	
5	to 6 ft. B&B	7.50	7.00	

KALMIA

—**latifolia**. 6 ft. (Mountain Laurel) Woodsy or peaty
loam, moist, well drained, PH 4.5-6.0, sun-
shade, shade in hot climate.

18	to 24 in. B&B	3.00	2.50	
24	to 30 in. B&B	3.50	3.00	
30	to 36 in. B&B	4.00	3.50	
3	to 4 ft. B&B	6.00	5.50	
4	to 5 ft. B&B	8.00	7.00	

KOELREUTERA

—**paniculata**. 25 ft. (Goldenrain Tree) Rich, medium
loam, moist, PH 6.0-7.5, sun.

2	to 3 ft.	1.00	7.5	
3	to 4 ft.	1.25	1.00	

KOLKWITZIA

—**amabilis**. 6 ft. (Beautybush) Sandy to silty clay,
moist, PH 6.0-7.5, sun or slight shade.

18	to 24 in.	.40	.35	
2	to 3 ft.	.50	.45	
3	to 4 ft.	.60	.55	
4	to 5 ft.	.85	.80	

LEUCOTHOE

—**catesbaei**. 6 ft. (Drooping Leucothoe) Woodsy or
peaty loam, moist, well drained, PH 4.5-6.0,
shady location.

12	to 15 in. B&B	2.00	1.75	1.50
15	to 18 in. B&B	2.50	2.25	2.00

LIGUSTRUM

Each 1-24	Each 25-249	Each 250-up
--------------	----------------	----------------

—**amurense**. 12 ft. (Amur Privet) Sandy loam to silty
clay, moist, PH 6.0-7.5, sun-shade.

12	to 18 in.	.10	.08	.07
18	to 24 in., 3 canes and up	.12	.11	.10
2	to 3 ft.	.15	.13	.12

—**ibolium**. 10 ft. (Hardy California Privet) Sandy loam
to silty clay, moist, PH 6.0-7.5, sun-shade.

18	to 24 in.	.12	.11	.10
2	to 3 ft.	.15	.13	.12
3	to 4 ft.	.22	.20	
4	to 5 ft.	.35	.30	

LIGUSTRUM (Continued)

Each 1-24	Each 25-249	Each 250-up
--------------	----------------	----------------

—**obtusi folium (ibota.)** 8 ft. (Chinese Privet) Sandy loam to silty clay moist, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.22	.20	.18
3 to 4 ft.	.30	.27	.25
4 to 5 ft.	.40	.35	.30
5 to 6 ft.	.60	.50	.40
6 to 8 ft.	.80	.70	.60

—**ibota regelianum.** 6 ft. (Regal Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

12 to 18 in.	.30	.25	.20
18 to 24 in.	.35	.30	.25
24 to 30 in.	.40	.35	.30
30 to 36 in.	.50	.45	.40
3 to 4 ft.	.80	.70	.60

—**ovalifolium.** 10 ft. (California Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

12 to 18 in., 2 canes and up	.10	.08	.06
18 to 24 in., 3 canes and up	.12	.09	.08
2 to 3 ft., 4 canes and up	.14	.12	.10

—**ovalifolium variegatum.** 10 ft. (Golden Calif. Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

12 to 18 in.	.25	.22	.20
18 to 24 in.	.30	.27½	.25

—**vulgare.** 10 ft. (English Privet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.

2 to 3 ft.	.30	.25
4 to 5 ft.	.45	.40
5 to 6 ft.	.60	.50

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

LESPEDEZA

—**thunbergi (penduliflorum)** (Bushclover) Medium loam, dry-moist, PH 6.5-7.5, sun. moist PH 6.5-7.5, sun.

2 year	.45	.40
3 year	.60	.50

LINDERA

—**benzoin** 12 ft. (Spicebush) Sandy to clay loam, moist, PH 4.5-6.0, sun or part shade, stands wet soil.

18 to 24 in.	.35	.30
2 to 3 ft.	.45	.40
3 to 4 ft.	.55	.50
4 to 5 ft.	.70	.65

LIRIODENDRON

—**tulipifera.** 60 ft. (Tulip Tree) Rich, medium loam, moist, well drained, PH 6.0-7.0, sun or part shade.

6 to 8 ft.	1.75	1.50
8 to 10 ft.	2.50	2.00
1¾ to 2 in.	4.50	4.00
2 to 2½ in.	5.50	5.00
2½ to 3 in.	9.00	8.00
3 to 3½ in.	15.00	12.00
3½ to 4 in.	16.00	15.00

LIQUIDAMBER

—**styraciflua.** 50 ft. (Sweet Gum) Rich, medium loam, moist, PH 5.5-7.0, sun.

			Each 1-4	Each 5-24	Each 25-up
6	to	8 ft.	2.50	2.25	2.00
8	to	10 ft.	3.00	2.75	2.50
1½	to	2 in.	5.50	4.50	4.00
2	to	2½ in.	6.00	5.50	
2½	to	3 in.	8.00	7.00	
3	to	3½ in.	15.00	12.00	
3½	to	4 in.	16.00	14.00	
4	to	5 in.	22.50	20.00	
5	to	7 in.,	price on request.		

LONICERA

—**bella albid.** 8 ft. (White Bell Honeysuckle) Sandy loam to silty clay, moist, PH 6.5-8.0, sun-shade.

2	to	3 ft.	.40	.35	.30
3	to	4 ft.	.45	.40	.35
4	to	5 ft.	.60	.55	.50
5	to	6 ft.	.70	.65	.60

—**bella rosea.** 8 ft. (Pink Bell Honeysuckle) Sandy loam to silty clay, moist, PH 5.5-8.0, sun-shade.

2	to	3 ft.	.40	.35	.30
3	to	4 ft.	.45	.40	.35
4	to	5 ft.	.60	.55	.50
5	to	6 ft.	.70	.65	.60

—**fragrantissima.** 8 ft. (Winter Honeysuckle) Medium loam to silty clay, moist, well drained, PH 6.0-7.5, sun-med. shade.

2	to	3 ft.	.45	.40	.35
3	to	4 ft.	.50	.45	.40
4	to	5 ft.	.70	.65	.60
5	to	6 ft.	.90	.80	.75
6	to	8 ft.	1.25	1.15	1.00

—**halliana.** 15 ft. (Hall's Japan Honeysuckle) Sandy loam to silty clay, dry-moist, PH 6.0-8.0, sun or part shade.

2 year No. 1	\$140 per M.	.20	.18	.16
--------------	--------------	-----	-----	-----

—**korolkowi floribunda.** 10 ft. (Blueleaf Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

2	to	3 ft.	.60	.50
---	----	-------	-----	-----

—**maacki.** 10 ft. (Amur Honeysuckle) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-part shade.

2	to	3 ft.	.45	.40
3	to	4 ft.	.50	.45

—**morrowi.** 8 ft. (Morrow Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2	to	3 ft.	.40	.35	.30
3	to	4 ft.	.45	.40	.35
4	to	5 ft.	.60	.55	.50
5	to	6 ft.	.70	.65	.60

LONICERA — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**morrowi yellow fruited.** 8 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**ruprechtiana.** 10 ft. (Manchurian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

2 to 3 ft.	.45	.40	
5 to 6 ft.	.70	.65	.60
6 to 8 ft.	1.00	.90	.75

—**sempervirens.** 15 ft. (Scarlet Trumpet) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

2 year No. 1	.40	.35	.30
3 year No. 1	.50	.45	.40

—**standishi.** 5 ft. Medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40

—**syringantha.** 4 ft. (Lilac Honeysuckle) Medium loam to silty clay, moist, PH 6.0-7.5, sun.

18 to 24 in.	.50	.45	.40
2 to 3 ft.	.60	.55	.50
3 to 4 ft.	.80	.70	

—**tatarica abla.** 10 ft. (White Tatarian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**tatarica rosea grandiflora.** 10 ft. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**tatarica sibirica.** 10 ft. (Red Tatarian Honeysuckle) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50

—**zabeli.** 10 ft. (New Red) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.

2 to 3 ft.	.40	.35	
3 to 4 ft.	.45	.40	

LYCIUM

—**Chinese.** 10 ft. (Chinese Matrimony Vine) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.35	.30	.25
3 to 4 ft.	.40	.35	.30

MAGNOLIA

	Each 1-4	Each 5-24	Each 25-up
—acuminata. 70 ft. (Cucumber Tree) Rich, medium loam, moist, well drained, PH 5.0-7.5, sun.			
3 to 4 ft. B&B.....	3.00	2.50	
4 to 5 ft. B&B.....	3.50	3.00	
5 to 6 ft. B&B.....	5.00	4.50	
6 to 8 ft. B&B.....	7.50	7.00	
8 to 10 ft. B&B.....	12.00	10.00	
—soulangeana. 18 ft. (Saucer Magnolia) Rich, medium loam, moist, well drained, PH 5.5-7.0, sun-part shade.			
5 to 6 ft. B&B.....	12.00	10.00	
6 to 8 ft. B&B.....	17.50	15.00	
6 to 8 ft. B&B Spec.....	30.00	25.00	
8 to 10 ft. B&B Spec.....	35.00	30.00	
10 to 12 ft. B&B.....	45.00	40.00	
—soulangeana. Tree Form 20 ft. Same as above.			
5 to 6 ft. B&B.....	12.00	10.00	
6 to 8 ft. B&B.....	25.00	20.00	
8 to 10 ft. B&B.....	30.00	25.00	
10 to 12 ft. B&B.....	40.00	35.00	
—soulangeana nigra. 18 ft. (Dark Red) Rich medium loam, moist, well drained, PH 5.5-7.0, sun-partial shade.			
6 to 8 ft. B&B Spec.....	30.00		
—stellata. 8 ft. (Star Magnolia) Rich, medium loam, moist, well drained, PH 5.5-7.0, sun-partial shade.			
3 to 4 ft. B&B.....	7.00	6.00	
4 to 5 ft. B&B.....	10.00	8.00	
5 to 6 ft. B&B.....	12.00	10.00	
6 to 8 ft. B&B.....	20.00	15.00	
6 to 8 ft. B&B Spec.....	25.00		
—virginiana (glauca) 20 ft. (Sweet Bay) Rich, medium loam, moist, PH 5.0-6.5, sun-part shade.			
5 to 6 ft. B&B.....	5.50	5.00	
6 to 8 ft. B&B.....	9.00	8.00	
8 to 10 ft. B&B.....	12.00	10.00	
10 to 12 ft. B&B.....	15.00	12.50	

MALUS

—arnoldiana. 10 ft. (Arnold Crab) Semi-double pink flowers, small yellow fruit. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.			
2 to 3 ft.....	.75	.60	
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
—coronaria. 15 (Wild Sweet Crab) Clustered rose-pink flowers, yellowish fruits. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.			
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
8 to 10 ft.....	3.00	2.50	
—floribunda. 18 ft. (Japanese Flowering Crab) Rose-red flowers, small red fruit. Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
8 to 10 ft.....	3.00	2.50	
10 to 12 ft.....	5.00	4.00	

	Each 1-4	Each 5-24	Each 25-up
MALUS —Continued			
— floribunda atrosanguinea. 20 ft. (Carmine Crab) Late flowering, buds and flowers deep red, small, yellow fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.75	.60	
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
— floribunda lemoini. 15 ft. Deep pink flowers, yellow fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade			
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	1.75	1.50	
— hopa. 12 ft. (Red Flowering Crab) Rosy-crimson flowers, round, red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.			
3 to 4 ft.....	1.15	1.00	
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
— halliana parkmannii. (Parkman's Crab). Semi- double rose-pink flowers, sandy loam to silty clay, moist, PH 6.0-7.5, sun-part shade.			
4 to 5 ft.....	2.00	1.75	
5 to 6 ft.....	2.50	2.25	
— ioensis. 20 ft. (Prairie Crab) Single pink flowers, greenish-fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
6 to 8 ft.....	2.25	2.00	
8 to 10 ft.....	3.50	3.00	
— ioensis plena. 12 ft. (Bechtel's Crab). Double pink flowers, very showy, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.....	1.15	1.00	
4 to 5 ft.....	1.50	1.35	1.25
5 to 6 ft.....	2.00	1.75	1.50
6 to 8 ft.....	2.50	2.25	2.00
8 to 10 ft.....	3.50	3.00	
— niedzwetzkyana. 12 ft. (Redvein Crab). Purplish leaves, deep pink flowers, purple fruit, sandy loam to silty clay, moist PH 6.0-7.5 sun-partial shade.			
3 to 4 ft.....	1.15	1.00	
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
8 to 10 ft.....	3.00	2.50	
— purpurea. 20 ft. (Purple Crab). Purple leaves, red flowers, dark red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.....	1.15	1.00	
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	1.75	1.50	
6 to 8 ft.....	2.25	2.00	
8 to 10 ft.....	3.00	2.50	

MALUS—Continued

	Each 1-4	Each 5-24	Each 25-up
—purpurea eleyi. 20 ft. (Eley Crab). Deep red flowers, large, edible red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.	1.15	1.00	
4 to 5 ft.	1.50	1.25	
5 to 6 ft.	1.75	1.50	
6 to 8 ft.	2.25	2.00	
8 to 10 ft.	3.00	2.50	
—sargentii. 8 ft. (Sargent Crab) Sharptoothed leaves, white flowers, dark red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.	1.25	1.15	
4 to 5 ft.	1.75	1.50	
5 to 6 ft.	2.00	1.75	
—scheideckeri. 20 ft. (Scheidecker Crab). Double pink flowers, orange fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.	1.15	1.00	
5 to 6 ft.	1.75	1.50	
6 to 8 ft.	2.25	2.00	
—seiboldi. 15 ft. (Toringo Crab). Blush pink flowers, yellowish red fruit, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
4 to 5 ft.	1.50	1.25	
5 to 6 ft.	1.75	1.50	
6 to 8 ft.	2.25	2.00	
—spectabilis. 15 ft. (Chinese Crab). Coral-rose flowers, small, yellow fruit, medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
4 to 5 ft.	1.50	1.25	
5 to 6 ft.	1.75	1.50	
6 to 8 ft.	2.25	2.00	
8 to 10 ft.	3.00	2.50	
—theifera. 18 ft. (Tea Crab). Flowers white, tinted pale pink. One of the best of the flowering crabs in cultivation, sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.	1.15	1.00	
4 to 5 ft.	1.50	1.35	1.25
5 to 6 ft.	2.25	2.00	1.75
6 to 8 ft.	3.00	2.75	2.50
8 to 10 ft.	3.50	3.00	

MAHONIA

—acquifolium. 5 ft. (Oregon Hollygrape). Sandy to medium loam, dry-moist, PH 6.0-7.5, partial shade.			
12 to 15 in. B&B.	1.50	1.25	
15 to 18 in. B&B.	1.75	1.50	
18 to 24 in. B&B.	2.50	2.00	

MORUS

—new American. 40 ft., large fruiting, grafted, sandy loam to clay, moist, PH 6.0-7.5, sun			
5 to 6 ft.	2.00	1.50	
6 to 8 ft.	2.50	2.00	

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

MYRICA

—**carolinensis**. 5 ft. (Northern Bayberry) sandy to medium loam, well drained dry-moist, PH 5.0-6.5, sun-part shade.

15 to 18 in.....	.60	.50
------------------	-----	-----

18 to 24 in.....	.70	.60
------------------	-----	-----

—**cerifera**. 5 ft. (Southern Waxmyrtle), sandy to medium loam, well drained dry-moist, PH 5.5-7.0, sun-part shade.

15 to 18 in.....	.60	.50
------------------	-----	-----

18 to 24 in.....	.70	.60
------------------	-----	-----

—**gale**. 4 ft. (Sweetgale) Sandy to medium loam, well drained, PH 5.5-7.0, sun,part shade.

15 to 18 in.....	.75	.60
------------------	-----	-----

NYSSA

—**sylvatica**. 40 ft. (Tupelo), rich, medium loam, moist, PH 5.5-6.5, sun-partial shade

2 to 3 ft. B&B.....	3.00	2.50
---------------------	------	------

3 to 4 ft. B&B.....	4.00	3.50
---------------------	------	------

4 to 5 ft. B&B.....	5.00	4.50
---------------------	------	------

5 to 6 ft. B&B.....	6.00	5.50
---------------------	------	------

OXYDENDRON

—**arboreum**. 30 ft. (Sourwood), high organic content loam, moist, well drained, PH 5.5-6.5, sun-partial shade

2 to 3 ft.....	1.00	.75
----------------	------	-----

3 to 4 ft.....	1.50	1.25
----------------	------	------

4 to 5 ft.....	2.50	2.00
----------------	------	------

5 to 6 ft.....	3.50	3.00
----------------	------	------

6 to 8 ft.....	4.50	4.00
----------------	------	------

8 to 10 ft.....	6.50	6.00
-----------------	------	------

PACHYCANDRA

—**terminalis**. 1 ft. (Japanese Spurge), medium to silty clay, moist, PH 5.0-7.0, partial shade to shade

2 year from pots, Per M \$100	.16	.14.	.12
-------------------------------	-----	------	-----

PARTHENOCISSUS (Ampelopsis)

—**quinquifolia**. 40 ft. (Virginia Creeper) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 year30	.25	.20
--------------	-----	-----	-----

3 year35	.30	.25
--------------	-----	-----	-----

—**quinquifolia engelmanni**. 40 ft. (Engelmann Creeper) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 year30	.25	.20
--------------	-----	-----	-----

3 year35	.30	.25
--------------	-----	-----	-----

—**tricuspidata veitchi**. 50 ft. (Boston Ivy) Medium loam, moist, PH 6.0-7.5, sun or part shade.

2 year medium35	.30	.25
---------------------	-----	-----	-----

2 year No. 1.....	.40	.35	.30
-------------------	-----	-----	-----

PHILADELPHUS

—**avalanche**. 6 ft., sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade

2 to 3 ft.....	.45	.40	.35
----------------	-----	-----	-----

3 to 4 ft.....	.50	.45	.40
----------------	-----	-----	-----

4 to 5 ft.....	.60	.55	.50
----------------	-----	-----	-----

PHILADELPHUS — Continued

Each 1-4 Each 5-24 Each 25-up

—**banniere.** 8 ft., sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50

—**coronarius.** 9 ft. (Sweet Scented Mockorange) sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
6 to 8 ft.	1.00	.90	.75

—**coronarius aureus.** 5 ft. (Golden Mockorange), sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade

9 to 12 in.	.25	.20	
12 to 15 in.	.35	.30	.25
15 to 18 in.	.45	.40	.35

—**gordonianus.** 10 ft. (Gordon Mockorange), sandy

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60

—**grandiflorus.** 12 ft. (Big Scented Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-slight shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.70	.65	.60
6 to 8 ft.	1.00	.90	.75

—**lemoinei erectus.** 5 ft. (Lemoine Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-partial shade.

18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50

—**mt. blanc.** 10 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50

—**nivalis.** 7 ft. (Snowbank Mockorange) Sandy loam to silty clay, moist, PH 6.0-8.0, sun-partial shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.60	.55	.50

—**pyramidale.** 6 ft. Sandy loam to silty clay, moist, PH 6.0-8.0, sun.

2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50

	Each 1-4	Each 5-24	Each 25-up
PHILADEPHUS — Continued			
— virginal . 8 ft. (Double White) Sandy loam to silty clay, moist, PH 6.0-7.0, sun.			
18 to 24 in.....	.45	.40	.35
2 to 3 ft.....	.55	.50	.45
3 to 4 ft.....	.65	.60	.55

PHILLODENDRON

— amurense . 50 ft. (Amour cork tree) Sandy loam to clay, dry-moist, PH 6.0-7.5, sun.			
4 to 5 ft.....	1.00	.75	
5 to 6 ft.....	1.25	1.00	
6 to 8 ft.....	1.50	1.25	

PHOTINA

— villosa . 12 ft. (Christmasberry) Rich, medium loam, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	1.00	.90	.80
— laevis . 15 ft. Rich, medium loam, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50

PHYSOCARPUS

— monogynus . 5 ft. (Dwarf Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
— opulifolia . 10 ft. (Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-med. shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
— opulifolius lufens . 10 ft. (Goldleaf Ninebark) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
— opulifolius nanus . 5 ft. Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-medium shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50

PICEA

— canadensis . 50 ft. (White Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.			
18 to 24 in. B&B.....	2.25	2.00	1.75
2 to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.75	3.50
4 to 5 ft. B&B.....	5.00	4.75	4.50
— canadensis albertiana . 60 ft. (Black Hills Spruce) Medium loam, PH 5.0-6.5, sun-slight shade.			
18 to 24 in. B&B.....	2.25	2.00	1.75
2 to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.75	3.50
4 to 5 ft. B&B.....	5.00	4.75	4.50

PICEA — Continued

	Each 1-4	Each 5-24	Each 25-up
—excelsa. 75 ft. (Norway Spruce) Medium loam, moist PH 5.0-6.5, sun-slight shade.			
18 to 24 in. B&B	1.50	1.35	1.25
2 to 3 ft. B&B	2.50	2.25	2.00
3 to 4 ft. B&B	3.50	3.25	3.00
4 to 5 ft. B&B	4.00	3.75	3.50
5 to 6 ft. B&B	5.00	4.50	
6 to 8 ft. B&B	8.00	7.00	
—polita. 75 ft. (Tigertail Spruce) Medium loam, moist PH 5.0-6.5, sun-slight shade.			
18 to 24 in. B&B	3.00	2.50	
2 to 3 ft. B&B	4.00	3.50	
—pungens. 60 ft. (Colorado Spruce) Medium loam, moist, PH 5.0-6.5, sun-slight shade.			
18 to 24 in. B&B	2.25	2.00	
2 to 3 ft. B&B	3.50	3.00	
3 to 4 ft. B&B	4.50	4.00	
—pungens glauca. 60 ft. (Colorado Blue Spruce) Med- ium loam, moist, PH 5.0-6.5, sun.			
18 to 24 in. B&B	3.00	2.50	
2 to 3 ft. B&B	4.50	4.00	
3 to 4 ft. B&B	6.00	5.50	
—pungens kosteri. 60 ft. (Kosters Blue Spruce) Medium loam, moist, PH 5.0-6.5, sun.			
7 to 8 ft. specimen B&B	30.00	25.00	
8 to 9 ft. specimen B&B	35.00	30.00	
9 to 10 ft. specimen B&B	40.00	35.00	
10 to 11 ft. specimen B&B	45.00	40.00	
11 to 12 ft. specimen B&B	50.00	45.00	
—pungens moerheimi. 40 ft. (Moerheimi Blue Spruce) medium loam, moist, PH 5.0-6.5, sun.			
7 to 8 ft. B&B Spec.	32.50	27.50	
8 to 9 ft. B&B Spec.	37.50	32.50	
9 to 10 ft. B&B Spec.	42.50	37.50	
10 to 11 ft. B&B Spec.	47.50	45.00	
11 to 12 ft. B&B Spec.	52.50	47.50	
12 to 14 ft. B&B Spec.	65.00	60.00	

PIERIS

—floribunda. 3 ft. (Mountain Andromeda) Woodsy peaty loam, moist, well drained, PH 5.0-6.0, partial shade.			
12 to 15 in. B&B	2.50	2.00	
15 to 18 in. B&B	3.50	3.00	
—japonica. 4 ft. (Japanese Andromeda) Woodsy or peaty loam, moist, well drained, PH 5.0-6.0, partial shade.			
15 to 18 in. B&B	4.00	3.50	
18 to 24 in. B&B	4.50	4.00	
—mariana. 5 ft. (Staggerbush) Woodsy or peaty loam, moist, well drained, PH 5.0-6.0, sun-partial shade.			
15 to 18 in. B&B	2.00	1.75	1.50
18 to 24 in. B&B	2.50	2.25	2.00
24 to 30 in. B&B	3.00	2.75	2.50
30 to 36 in. B&B	3.50	3.00	

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

PINUS

—**banksiana.** 60 ft. (Jack Pine) Sand to silty clay loam, dry- moist, PH 4.5-5.5, sun.

5 to 6 ft. B&B	8.00	7.00	
----------------------	------	------	--

—**densiflora.** 60 ft. (Japanese Red Pine) Sandy loam to silty clay, dry-moist, PH 5.0-6.5, sun.

2 to 3 ft. B&B	3.00	2.75	2.50
----------------------	------	------	------

3 to 4 ft. B&B	3.50	3.25	3.00
----------------------	------	------	------

4 to 5 ft. B&B	5.00	4.75	4.50
----------------------	------	------	------

—**montana mughus.** 4 ft. (Dwarf Mountain Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun-slight shade.

9 to 12 in. B&B	1.50	1.35	1.25
-----------------------	------	------	------

12 to 15 in. B&B	2.00	1.75	1.50
------------------------	------	------	------

15 to 18 in. B&B	2.50	2.25	2.00
------------------------	------	------	------

18 to 24 in. B&B	3.00	2.75	2.50
------------------------	------	------	------

24 to 30 in. B&B	3.50	3.00	
------------------------	------	------	--

30 to 36 in. B&B	5.50	5.00	
------------------------	------	------	--

3 to 3½ ft. B&B	6.50	6.00	
-----------------------	------	------	--

3½ to 4 ft. B&B	7.50	7.00	
-----------------------	------	------	--

—**nigra austriaca.** 60 ft. (Austrian Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun.

3 to 4 ft. B&B	5.00	4.50	4.00
----------------------	------	------	------

4 to 5 ft. B&B	6.00	5.50	5.00
----------------------	------	------	------

5 to 6 ft. B&B	8.00	7.50	
----------------------	------	------	--

6 to 8 ft. B&B	12.00	10.00	
----------------------	-------	-------	--

—**resinosa.** 50 ft. (Red Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun.

2 to 3 ft. B&B	3.00	2.75	2.50
----------------------	------	------	------

3 to 4 ft. B&B	3.50	3.25	3.00
----------------------	------	------	------

4 to 5 ft. B&B	5.00	4.75	4.50
----------------------	------	------	------

5 to 6 ft. B&B	6.50	6.00	
----------------------	------	------	--

—**sylvestris.** 75 ft. (Scotch Pine) Sandy loam to silty clay, dry-moist, PH 5.5-7.0, sun-partial shade.

2 to 3 ft. B&B	3.00	2.75	2.50
----------------------	------	------	------

3 to 4 ft. B&B	3.50	3.25	3.00
----------------------	------	------	------

4 to 5 ft. B&B	5.00	4.75	4.50
----------------------	------	------	------

5 to 6 ft. B&B	6.50	6.25	6.00
----------------------	------	------	------

6 to 8 ft. B&B	12.00	11.00	10.00
----------------------	-------	-------	-------

8 to 10 ft. B&B	16.00	14.00	
-----------------------	-------	-------	--

PLATANUS

—**occidentalis.** 75 ft. (American Sycamore) Medium loam to silty clay, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.50	1.35	1.25
-----------------	------	------	------

8 to 10 ft.	2.25	2.00	1.75
------------------	------	------	------

2 to 2½ in.	5.00	4.50	
------------------	------	------	--

2½ to 3 in.	7.00	6.50	
------------------	------	------	--

3 to 3½ in.	10.00	9.00	
------------------	-------	------	--

—**orientalis.** 70 ft. (European Sycamore) Medium loam to silty clay, moist-well drained, PH 6.0-7.5, sun.

6 to 8 ft.	1.50	1.35	1.25
-----------------	------	------	------

8 to 10 ft.	2.25	2.00	1.75
------------------	------	------	------

1¼ to 1½ in.	2.75	2.50	2.25
-------------------	------	------	------

1½ to 1¾ in.	3.50	3.25	3.00
-------------------	------	------	------

1¾ to 2 in.	4.50	4.25	4.00
------------------	------	------	------

2 to 2½ in.	6.00	5.50	5.00
------------------	------	------	------

2½ to 3 in.	9.00	8.50	8.00
------------------	------	------	------

			Each 1-4	Each 5-24	Each 25-up
PLATANUS — orientalis (Continued)					
3	to	3½ in.	12.00	11.00	10.00
3½	to	4 in.	14.00	12.00	11.00
4	to	5 in.	17.50	15.00	

POLYGONUM

— auberti . 25 ft. (Silver Lace Vine) sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade					
2 yr. No. 1,	\$250.00	pre M	.40	.35	.30

POPULUS

— bolleana . 50 ft. (Silver Poplar) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun.					
6	to	8 ft.	1.25	1.15	1.00
2	to	2½ in.	5.00	4.50	
2½	to	3 in.	6.50	6.00	
3	to	3½ in.	7.50	7.00	
3½	to	4 in.	9.00	8.00	
— nigra italica . 75 ft. (Lombardy Poplar) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun					
6	to	8 ft.	.80	.70	.60
8	to	10 ft.	1.00	.85	.75
10	to	12 ft.	1.25	1.15	1.00
1½	to	1¾ in.	1.50	1.35	1.25
1¾	to	2 in.	2.25	2.00	1.75
2	to	2½ in.	3.00	2.75	2.50
2½	to	3 in.	4.00	3.75	3.50
— simoni . 30 ft. (Simon Poplar) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun					
6	to	8 ft.	1.25	1.15	1.00
8	to	10 ft.	1.50	1.35	1.25

PRUNUS

— americana . 20 ft. (American Plum) Medium loam to silty clay, moist, PH 6.0-7.5, sun					
4	to	5 ft.	.75	.65	
5	to	6 ft.	.90	.75	
6	to	8 ft.	1.25	1.00	
— besseyi . 7 ft. (Bessey Cherry) sandy to medium loam, dry-moist, PH 6.0-7.5, sun-part shade					
2	to	3 ft.	.45	.40	
2	to	3 ft.	.60	.50	
4	to	5 ft.	.75	.60	
— cistina . 10 ft. (Hansen's Purpleleaved Plum) sandy loam to silty clay, moist, PH 6.0-7.5, sun					
3	to	4 ft.	.75	.60	
4	to	5 ft.	.90	.75	
5	to	6 ft.	1.25	1.00	
6	to	8 ft.	1.50	1.25	
— cerasifera pissardi . 12 ft. (Purpleleaved Plum) sandy loam to silty clay, moist, PH 6.0-7.5, sun					
5	to	6 ft.	1.25	1.00	
6	to	8 ft.	1.50	1.25	
8	to	10 ft.	2.50	2.25	2.00
— glandulosa sinensis . 5 ft. (Double Pink Flowering Almond) sandy loam to silty clay, moist, PH 6.0-7.5, sun					
18	to	24 in.	.40	.35	.30
2	to	3 ft.	.50	.45	.40

	Each 1-4	Each 5-24	Each 25-up
PRUNUS—Continued			
— glandulosa albiplena. 5 ft. (Double White Flowering Almond) Own rot, sandy loam to silty clay, moist, PH 6.0-7.5, sun			
18 to 24 in.....	.35	.30	
2 to 3 ft.....	.45	.40	
— maritima. 12 ft. (Beech Plum) sandy to sandy loam, dry-moist, PH 6.0-7.5, sun			
3 to 4 ft.....	1.00	.75	
— padus. 20 ft. (European Bird Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-slight shade			
5 to 6 ft.....	1.25	1.00	
6 to 8 ft.....	2.00	1.50	
— pennsylvanicum. 25 ft. (Pin Cherry) sandy to silty loam, moist, PH 5.5-7.0, sun-slight shade			
4 to 5 ft.....	.60	.50	
5 to 6 ft.....	1.00	.85	.75
6 to 8 ft.....	1.25	1.15	1.00
8 to 10 ft.....	1.75	1.50	1.25
10 to 12 ft.....	2.50	2.25	2.00
— persica 10 ft. (double flowering peach) Medium loam, moist, PH 6.0-7.5.			
alboplana			
rubroplana			
3 to 4 ft.....	1.25	1.00	
4 to 5 ft.....	1.50	1.25	
— pumila. 5 ft. (Sand Cherry) sandy to sandy loam, dry-moist, PH 6.0-7.5, sun-part shade			
18 to 24 in.....	.40	.35	
2 to 3 ft.....	.60	.50	
3 to 4 ft.....	.75	.60	
4 to 5 ft.....	1.00	.85	.75
— serotina. 60 ft. (Black Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-partial shade			
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	1.00	.85	.75
6 to 8 ft.....	1.25	1.15	1.00
8 to 10 ft.....	1.75	1.50	1.25
— tomentosa. 10 ft. (Nanking Cherry) sandy to silty loam, moist, PH 6.0-7.5, sun-partial shade			
2 to 3 ft.....	.50	.40	
3 to 4 ft.....	.60	.50	
4 to 5 ft.....	.70	.60	
— triloba plena. 10 ft. (Flowering Plum) medium loam, moist, PH 6.0-7.5, sun			
15 to 18 in.....	.60	.50	
— virginiana. 30 ft. (Common Chokecherry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade			
5 to 6 ft.....	1.00	.85	.75
6 to 8 ft.....	1.25	1.15	1.00
The following Japanese flowering cherries are available in the following grades:			
— amanogawa — semi-double pink, sandy loam to silty loam, moist, well drained, PH 6.0-7.5, sun			
8 to 10 ft.....	6.00	5.00	

PRUNUS — Continued

	Each 1-4	Each 5-24	Each 25-up
— james veitch — double blush pink, sandy loam to silty loam, moist, well drained PH 6.0-7.5, sun			
10 to 12 ft.	9.00	8.00	
— naden — double pink, sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun			
10 to 12 ft.	9.00	8.00	
— seiboldi — double pink, sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun			
10 to 12 ft.	9.00	8.00	
— yoshino — blush pink to white, sandy loam to silty clay, moist, well drained, PH 6.0-7.5, sun			
6 to 8 ft.	3.00	2.50	
8 to 10 ft.	6.00	5.00	

PSEUDOTSUGA

— Douglasi . 75 ft. (Douglas Fir) light to medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade			
2 to 3 ft. B&B	3.00	2.75	2.50
3 to 4 ft. B&B	4.00	3.75	3.50
4 to 5 ft. B&B	6.00	5.50	
5 to 6 ft. B&B	8.00	7.50	

PTELEA

— trifoliata . 20 ft. (Hoptree) sandy to medium loam, moist, PH 6.0-7.5, sun-partial shade			
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.70	.60	.50
5 to 6 ft.	.80	.70	.60
6 to 8 ft.	1.00	.90	.75

PYRACANTHA

— coccinea lalandi . 6 ft. (Firethorn) medium to heavy loam, moist, well drained, PH 6.0-7.5, sun-shade			
12 to 15 in. B&B	1.50	1.25	
15 to 18 in. B&B	2.00	1.75	
24 to 30 in. B&B	3.50	3.25	3.00
30 to 36 in. B&B	4.50	4.25	4.00

QUERCUS

— alba . 65 ft. (White Oak) rich, medium loam, moist, well drained, PH 5.5-7.0, sun			
6 to 8 ft.	2.50	2.25	2.00
8 to 10 ft.	3.25	3.00	2.75
1¼ to 1½ in.	4.00	3.75	3.50
1½ to 1¾ in.	5.00	4.75	4.50
1¾ to 2 in.	6.50	6.00	
2 to 2½ in.	8.00	7.50	
2½ to 3 in.	10.00	9.00	
3 to 3½ in.	12.00	11.00	
3½ to 4 in.	17.50	15.00	
— bicolor . 60 ft. (Swamp White Oak) medium to silty loam, moist, PH 6.0-7.0, sun			
8 to 10 ft.	3.25	3.00	2.75
1¼ to 1½ in.	4.00	3.75	
1½ to 1¾ in.	5.00	4.50	
— coccinea . 75 ft. (Scarlet Oak) porous gravelly to medium loam, moist, well drained, PH 6.0-7.0, sun			
1¾ to 2 in.	6.50	6.00	5.50
2 to 2½ in.	7.50	7.00	6.50
2½ to 3 in.	9.50	9.00	8.50
3 to 3½ in.	12.00	11.00	

Quercus (Continued)

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**lyrata.** 70 ft. (Overcup Oak) sandy to medium loam, moist, PH 6.0-7.0; sun

8 to 10 ft.	3.25	3.00	2.75
1¼ to 1½ in.	4.00	3.75	3.50
1½ to 1¾ in.	5.00	4.50	

—**palustris.** 70 ft. (Pin Oak) rich, medium loam, moist, well drained, PH 5.5-6.5, sun

6 to 8 ft.	2.00	1.75	1.50
8 to 10 ft.	2.75	2.50	2.25
1¼ to 1½ in.	3.25	3.00	2.75
1½ to 1¾ in.	4.00	3.75	3.50
1¾ to 2 in.	5.00	4.50	4.00
2 to 2½ in.	7.00	6.50	6.00
2½ to 3 in.	8.00	7.50	7.00
3 to 3½ in.	12.00	11.00	10.00
3½ to 4 in.	15.00	13.00	12.00
4 to 5 in.	25.00	22.50	22.00

6, 7 and 8 inch, price on request

—**phellos.** 45 ft. (Willow Oak) medium loam to silty loam, moist, well drained, PH 5.5-6.5, sun

8 to 10 ft.	3.00	2.75	
2 to 2½ in.	10.00	8.00	

—**robur fastigiata.** 40 ft. (Pyramidal English Oak) medium loam, moist, well drained, PH 6.0-7.0, sun

4 to 5 ft. B&B	6.00	8.00	
5 to 6 ft. B&B	8.00	7.00	
6 to 8 ft. B&B	12.00	11.00	10.00
1¼ to 1½ in. B&B	15.00	14.00	13.00
1½ to 1¾ in. B&B	20.00	17.50	15.00
1¾ to 2 in. B&B	25.00	22.50	20.00
2 to 2½ in. B&B	30.00	27.50	25.00
2½ to 3 in. B&B	35.00	32.50	30.00
3 to 3¾ in. B&B	45.00	40.00	

—**rubra.** 70 ft. (Red Oak) medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun

6 to 8 ft.	2.25	2.00	1.75
8 to 10 ft.	2.75	2.50	2.25
1¼ to 1½ in.	3.25	3.00	2.75
1½ to 1¾ in.	4.50	4.25	4.00
1¾ to 2 in.	5.50	5.25	5.00
2 to 2½ in.	7.00	6.50	6.00
2½ to 3 in.	10.00	9.00	8.00
3 to 3½ in.	12.00	11.00	10.00
3½ to 4 in.	17.50	15.00	12.50
4 to 5 in.	30.00	25.00	

6, 7 and 8 in., price on request

—**valutina.** 70 ft. (Black Oak) medium loam to silty clay, moist, well drained, PH 5.5-7.0, sun

6 to 8 ft.	2.50	2.25	2.00
8 to 10 ft.	3.25	3.00	2.75
1¼ to 1½ in.	4.00	3.75	
1½ to 1¾ in.	5.00	4.50	

RHAMNUS

—**cathartica.** 12 ft. (Buckthorn) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-partial shade

2 to 3 ft.	.35	.30	.25
3 to 4 ft.	.40	.35	.30

	Each 1-4	Each 5-24	Each 25-up
Rhamnus (Continued)			
— frangula. 10 ft. (Glossy Buckthorn) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade			
2 to 3 ft.....	.35	.30	.25
3 to 4 ft.....	.40	.35	.30
4 to 5 ft.....	.50	.45	.40
— purshiana. 12 ft. (Cascara Buckthorn) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade			
18 to 24 in.....	.25	.22	.20
2 to 3 ft.....	.35	.30	
3 to 4 ft.....	.45	.40	

RHODODENDRON

— carolineanum. 5 ft. Nursery grown, Carolina Rhododendron) woody or peaty loam, moist, well drained, PH 4.5-6.0, sun-partial shade			
24 to 30 in. B&B.....	5.00	4.50	
30 to 36 in. B&B.....	6.00	5.50	
3 to 4 ft. B&B.....	7.00	6.50	
— catawbiense. 6 ft. Nursery Grown Catawba Rhododendron) woody or peaty loam, moist, well drained, PH 4.5-6.0, sun-partial shade			
24 to 30 in. B&B.....	4.50	4.00	
30 to 36 in. B&B.....	5.00	4.50	
3 to 4 ft. B&B.....	6.00	5.50	
— catawbiense grandiflora grafted. 6 ft. woody or peaty loam, moist, well drained, PH 4.5-6.5, sun-partial shade.			
18 to 24 in. B&B.....	5.00	4.50	4.00
24 to 30 in. B&B.....	6.00	5.50	5.00
— maximum collected 10 ft. (Rosebay Rhododendron) woody or peaty loam, moist, well drained, PH 4.5-6.0, partial shade.			
24 to 30 in. B&B.....	4.00	3.50	
30 to 36 in. B&B.....	5.00	4.50	
3 to 4 ft. B&B.....	6.00	5.50	
— hybrid seedlings. Mixed colors 6 ft. woody or peaty loam, moist, well drained, PH 4.5-6.0, sun-partial shade			
15 to 18 in. B&B.....	3.50	3.00	
18 to 24 in. B&B.....	4.50	4.00	

RHODOTYPOS

— kerroides. 6 ft. (Jetbead) rich, medium loam, moist, well drained, PH 6.0-7.5, sun-shade			
18 to 24 in.....	.35	.30	
2 to 3 ft.....	.50	.40	
3 to 4 ft.....	.60	.50	

RHUS

— canadensis. 6 ft. (Fragrant Sumac) sandy to medium loam, dry, good drainage, PH 6.0-7.5, sun-partial shade			
18 to 24 in.....	.30	.25	.20
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

Rhus (Continued)

—copallina. 12 ft. (Shining Sumac) sandy to medium loam, dry-good drainage, PH 5.5-7.0, sun			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
—cotinus. 12 ft. (Purple Fringe) medium loam, moist, well drained, PH 6.0-7.5, sun			
3 to 4 ft.	.70	.60	.50
4 to 5 ft.	1.00	.90	.80
5 to 6 ft.	1.50	1.25	
—glabra. 12 ft. (Smooth Sumac) sandy to medium loam, dry-moist, PH 5.0-7.0, sun			
2 to 3 ft.	.25	.22	.20
3 to 4 ft.	.30	.27	.25
4 to 5 ft.	.45	.40	.35
—typhina. 15 ft. (Staghorn Sumac) sandy to medium loam, dry-moist, PH 5.0-7.0, sun			
2 to 3 ft.	.25	.22	.20
3 to 4 ft.	.30	.27	.25
4 to 5 ft.	.45	.40	.35
5 to 6 ft.	.50	.45	.40

RIBES

—alpinum. 5 ft. (Mountain Currant) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade			
12 to 15 in.	.35	.30	.25
15 to 18 in.	.40	.35	.30
30 to 36 in.	.75	.60	
3 to 4 ft.	.85	.75	
—aureum. 8 ft. (Golden Currant) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade			
2 to 3 ft.	.40	.35	
3 to 4 ft.	.45	.40	

ROBINA

—hispidia. 9 ft. (Rose Acacia) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun			
2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.55	.50	.45
4 to 5 ft.	.80	.70	.60
—pseudoacacia. 55 ft. (Common Locust) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun			
6 to 8 ft.	1.25	1.15	1.00
8 to 10 ft.	1.75	1.50	1.25
1½ to 1¾ in.	3.00	2.50	
1¾ to 2 in.	3.50	3.00	
—viscosa. 10 ft. (Clammy Locust) sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun			
3 to 4 ft.	.55	.50	.45
4 to 5 ft.	.80	.70	.60

ROSA

—blanda. 5 ft. (Meadow Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.5			
18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40

Each
1-4 Each
5-24 Each
25-up

ROSA — Continued

— humilis. 5 ft. (Pasture Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.5, sun			
18 to 24 in.	.35	.30	
2 to 3 ft.	.45	.40	
— lucida. 5 ft. (Virginia Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun slight shade			
18 to 24 in.	.40	.35	.30
2 to 3 ft.	.50	.45	.40
— nitida. 3 ft. (Bristly Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun			
18 to 24 in.	.40	.35	.30
2 to 3 ft.	.45	.40	.35
— palustris. 8 ft. (Swamp Rose) sandy to silty clay loam, moist, PH 6.0-7.0, sun-slight shade			
18 to 24 in.	.40	.35	
2 to 3 ft.	.45	.40	
— rubrifolia. 6 ft. (Redleaf Rose) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun			
18 to 24 in.	.40	.35	
2 to 3 ft.	.45	.40	
— rugosa alba. (pure white) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun partial shade			
18 to 24 in.	.40	.35	
2 to 3 ft.	.45	.40	
— rugosa rubra. (rose red) sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun partial shade			
2 to 3 ft.	.45	.40	.35
3 to 4 ft.	.50	.45	.40
— setigera. 6 ft. (Prairie Rose) sandy to silty clay loam, moist, PH 6.0-7.0, sun-partial shade			
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
— wichuriana. 2' Sandy to silty clay loam, moist, well drained, PH 6.0-7.0, sun or part shade			
1 year No. 1	.30	.25	.20
2 year No. 1	.40	.35	.30

RUBUS

— odoratus 6 ft. (fragrant thumbleberry) Sandy to medium loam, dry well drained, PH 6.0-7.5, sun			
18 to 24 in.	.40	.35	
2 to 3 ft.	.45	.40	

SALIX

— babylonica. 50 ft. (Babylon Weeping Willow) Sandy to medium loam, moist, PH 5.5-7.5, sun			
6 to 8 ft.	1.50	1.35	1.25
8 to 10 ft.	2.25	2.00	1.75
1¼ to 1½ in.	2.75	2.50	
— babylonica salamoni. 50 ft. Salamon weeping willow) sandy to medium loam, moist, PH 5.5-7.5, sun			
8 to 10 ft.	2.25	2.00	1.75
1¼ to 1½ in.	2.75	2.50	
1½ to 1¾ in.	3.50	3.00	

SALIX — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**blanda.** 40 ft. (Wisconsin Weeping Willow) sandy to medium loam, moist, PH 5.5-7.5, sun

6	to	8	ft.	1.50	1.35	1.25
8	to	10	ft.	2.25	2.00	1.75
1¼	to	1½	in.	2.75	2.50	

—**discolor.** 18 ft. (Pussy Willow) sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade

3	to	4	ft.	.40	.35	.30
4	to	5	ft.	.50	.45	.40
5	to	6	ft.	.70	.60	.50
6	to	8	ft.	.90	.80	.70
8	to	10	ft.	1.25	1.15	1.00

—**elegantissima.** 60 ft. (ThurLOW Willow) sandy to medium loam, moist, PH 6.0-7.5, sun

6	to	8	ft.	1.50	1.35	1.25
8	to	10	ft.	2.25	2.00	1.75
1¼	to	1½	in.	2.75	2.50	

—**incana.** 20 ft. (Rosemary Willow) sandy to medium loam, moist, PH 6.0-7.5, sun-partial shade

2	to	3	ft.	.40	.35	.30
3	to	4	ft.	.45	.40	.35
4	to	5	ft.	.60	.55	.50
5	to	6	ft.	.80	.70	.60

—**matsudona tortuosa.** 22 ft. (corkscrew willow) sandy to medium loam, moist, PH 6.0-7.5, sun

5	to	6	ft.	1.25	1.15	1.00
6	to	8	ft.	2.00	1.75	1.50
8	to	10	ft.	2.50	2.25	2.00
1¼	to	1½	in.	3.00	2.75	2.50
1½	to	1¾	in.	4.00	3.50	

—**mutabilis.** 5 ft. sandy to medium loam, moist, PH 6.0-7.5, sun

18	to	24	in.	.40	.35	.30
2	to	3	ft.	.50	.45	.40
3	to	4	ft.	.60	.55	.50
4	to	5	ft.	.80	.70	.65

—**nigra.** 12 ft. (Black Willow) sandy to medium loam, moist, PH 6.0-7.5, sun

5	to	6	ft.	.80	.70	.60
6	to	8	ft.	1.00	.90	.75

—**niobe.** 30 ft. (Golden Weeping Willow) Sandy to medium loam, moist, PH 6.0-7.5, sun.

6	to	8	ft.	1.50	1.35	
8	to	10	ft.	2.00	1.75	
1¼	to	1½	in.	2.75	2.50	

SALIX — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**petandra**. 25 ft. (Laurelleaved Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

6 to 8 ft.....	1.50	1.35	1.25
8 to 10 ft.....	2.00	1.75	1.50
10 to 12 ft.....	2.50	2.00	

—**purpurea nana**. 5 ft. (dwarf purpleosier willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

12 to 15 in.....	.40	.35	
15 to 18 in.....	.50	.45	

—**vitellina**. 30 ft. (Golden Willow) Sandy loam to silty clay, moist, PH 6.0-7.5, sun.

6 to 8 ft.....	1.50	1.35	1.25
8 to 10 ft.....	2.25	2.00	1.75
1¼ to 1½ in.....	3.00	2.50	
1½ to 1¾ in.....	3.00	2.75	

SAMBUCUS

—**canadensis**. 10 ft. (American Elder) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50

—**canadensis acutifolia**. 10 ft. (Cutleaf Elder) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-

3 to 4 ft.....	.45	.40	
4 to 5 ft.....	.60	.50	

—**nigra**. 15 ft. (European Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50

—**nigra aurea**. 15 ft. (Golden European Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60

—**pubens**. 8 ft. (Scarlet Elder) Sandy loam to silty clay, moist, PH 6.5-7.5, sun-partial shade.

2 to 3 ft.....	.50	.45	
3 to 4 ft.....	.60	.50	

SASSAFRAS

—**varifolium**. 50 ft. (Sassafras) Sandy loam to silty clay, moist, PH 5.5-7.5, sun-partial shade.

6 to 8 ft.....	2.50	2.00	
8 to 10 ft.....	3.00	2.50	

SOPHORA

—**japonica**. 20 ft. (Chinese Scholartree) Medium loam to silty clay, dry-moist, PH 6.0-7.5, sun.

18 to 24 in. B&B.....	2.50	2.00	
2 to 3 ft. B&B.....	3.00	2.50	
3 to 4 ft. B&B.....	4.00	3.50	

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

SORBARIA

—**atchisoni.** 7 ft. (Kashmir False Spirea) Medium loam, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.40	.35
3 to 4 ft.	.50	.45

—**sorbifolia.** 5 ft. (Ural False Spirea) Medium loam, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.40	.35
3 to 4 ft.	.50	.45

SORBUS

—**aucuparis.** 30 ft. (European Mountain Ash) Medium loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

6 to 8 ft.	2.25	2.00	1.75
8 to 10 ft.	2.50	2.25	2.00
1¼ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	4.00	3.75	3.50
1¾ to 2 ft.	4.50	4.25	4.00
2 to 2½ in.	5.50	5.00	
2½ to 3 in.	7.00	6.50	
3 to 3½ in.	10.00	9.00	

SPIREA

—**anthony waterer.** 3 ft. (Dwarf Pink Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

12 to 15 in.	.35	.30	.25
15 to 18 in.	.40	.35	.30
18 to 24 in.	.40	.35	

—**arguta.** 7 ft. (Garland Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40
5 to 6 ft.	.60	.55	.50

—**billardi.** 5 ft. (Pink Flowering Spirea) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35

—**collosa alba.** 2½ ft. (White Japanese Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.

15 to 18 in.	.40	.35
--------------	-----	-----

—**douglasi.** 6 ft. (Red Flowering) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.

2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.45	.40	.35
4 to 5 ft.	.50	.45	.40

—**froebeli.** 4 ft. (Dwarf Pink) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.

24 to 30 in.	.40	.35
30 to 36 in.	.45	.40

	Each 1-4	Each 5-24	Each 25-up
--	-------------	--------------	---------------

SPIREA — Continued

—prunifolia plena. 10 ft. (Double Bridal Wreath) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.50	.45	.40
5 to 6 ft.....	.60	.55	.50
—salicifolia. 5 ft. (Willowleaf Spirea) Sandy to silty clay, dry-moist, PH 6.0-7.5, sun.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.50	.45	.40
—thunbergi. 5 ft. (White Flowering Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
—trichocarpa. 5 ft. (Korean Spirea) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-slight shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.50	.45	.40
—vanhoutti. 10 ft. (Single White Flowering) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.35	.30	.25
3 to 4 ft.....	.40	.35	.30
4 to 5 ft.....	.50	.45	.40
5 to 6 ft.....	.60	.55	.50

STEPHANANDRA

—flexuosa. 6 ft. (Creamy White) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35

SYMPHORICARPOS

—albus (racemosus) 6 ft. (White Snowberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
—chenauti. 6 ft. (Improved Coralberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
—mollis. 6 ft. (Spreading Snowberry) Sandy loam to silty clay, moist, PH 6.0-7.5, sun-partial shade.			
18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35

	Each 1-4	Each 5-24	Each 25-up
SYMPHORICARPOS — Continued			
— orbiculatus (vulgaris.) 4 ft. (Coralberry) Sandy loam to silty clay, dry-moist, PH 6.0-7.5, sun-shade.			
18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
SYRINGA			
— chinensis syn. rothomagensis. 10 ft. (Chinese Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50
4 to 5 ft.....	.90	.80	.70
— japonica. 20 ft. (Japanese Tree Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.			
2 to 3 ft.....	.70	.60	
— josikaea. 10 ft. (Hungarian Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.			
5 to 6 ft.....	1.00	.85	
6 to 8 ft.....	1.25	1.15	
— persica. 10 ft. (Persian Lilacs) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50
4 to 5 ft.....	.90	.80	.70
5 to 6 ft.....	1.25	1.15	1.00
— pekinensis. 15 ft. (Peking Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.			
2 to 3 ft.....	.60	.55	.50
3 to 4 ft.....	.80	.70	.60
4 to 5 ft.....	1.25	1.00	.90
5 to 6 ft.....	1.75	1.50	1.25
— villosa. 8 ft. (Late Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.			
2 to 3 ft.....	.50	.45	
3 to 4 ft.....	.60	.55	
4 to 5 ft.....	.80	.70	
— vulgaris alba. 12 ft. (Common White Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.			
3 to 4 ft.....	.70	.60	
4 to 5 ft.....	.80	.70	
5 to 6 ft.....	1.25	1.00	
— vulgaris. 12 ft. (Common Purple Lilac) Medium loam to silty clay, moist, well drained, PH 6.5-8.0, sun.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.80	.70	.60
5 to 6 ft. spec. clumps.....	3.00	2.75	2.50
6 to 7 ft. spec. clumps.....	4.00	3.75	3.50
7 to 8 ft. spec. clumps.....	5.50	5.25	5.00
8 to 9 ft. spec. clumps.....	7.00	6.50	6.00
9 to 10 ft. spec. clumps.....	10.00	9.00	8.00

SYRINGA — Continued

—**vulgaris hybrids.** 10 ft. following named varieties:
Medium loam to silty clay, moist, well drained,
PH 6.5-8.0, sun.

Belle de Nancy — Double rose
Chas. Joly — purplish red
Frau B. Dammann — single white
J. Calot — rosy pink
La tour d'Auvergne — double purple
Marie LeGraye — single white
Mad. Lemoini — double white
Mad. Casimir Perier — double creamy white
Mad. Felix Dykhuis — double white
Pres. Grevy — double blue
Souv. de Ludwig Spaeth — single red
Viviand Morel — double lilac

	Each 1-4	Each 5-24	Each 25-up
2 to 3 ft.....	.80	.70	.60
3 to 4 ft.....	1.00	.90	.80
4 to 5 ft.....	1.50	1.25	
5 to 6 ft.....	1.75	1.50	

TAMARIX

Africana. 12 ft. (Early Light Pink) Light, sandy loam,
dry, PH 6.0-7.5, sun.

2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.45	.40	.35
4 to 5 ft.....	.50	.45	.40

—**gallica.** 8 ft. (Blue-green leaves, Pink flowers) Light
sandy loam, dry, PH 6.0-7.5, sun.

2 to 3 ft.....	.45	.40	
3 to 4 ft.....	.50	.45	

—**hispid.** 8 ft. (Silvery leaves, Pink flowers) Light
sandy loam, dry, PH 6.0-7.5, sun.

2 to 3 ft.....	.45	.40	
3 to 4 ft.....	.50	.45	

TAXODIUM

—**distichum.** 80 ft. (Common Bald Cypress) Medium
to heavy loam, wet, PH 5.-0-6.5, sun.

6 to 8 ft. B&B.....	10.00	8.00	
8 to 10 ft. B&B.....	12.00	10.00	
10 to 12 ft. B&B.....	15.00	14.00	

TAXUS

—**baccata repandens.** 2 ft. (Spreading English Yew)
Sandy loam to silty clay, moist, well drained,
PH 6.0-7.5, part shade.

12 to 15 in. B&B.....	2.25	2.00	1.75
15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.50	2.25	3.00
24 to 30 in. B&B.....	4.50	4.25	4.00
30 to 36 in. B&B.....	5.50	5.25	5.00

TAXUS — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

- baccata washingtoni**. 8 ft. (Golden Washington Yew)
Sandy loam to silty clay, moist, well drained,
PH 6.0-7.5, partial shade.

15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.50	3.25	3.00
24 to 30 in. B&B.....	4.50	4.25	4.00
30 to 36 in. B&B Spec.....	7.00	6.00	
3 to 4 ft. B&B Spec.....	12.00	10.00	
4 to 5 ft. B&B Spec.....	20.00	17.50	

- canadensis**. 2½ ft. (Canadian Yew) Sandy to silty
loam, moist, well drained, PH 5.0-6.5 shade-
partial shade.

18 to 24 in. B&B.....	3.50	3.00	
24 to 30 in. B&B.....	4.50	4.00	

- cuspidata**. 6 ft. (Japanese Spreading Yew) Sandy
loam to silty clay, moist, well drained, PH
5.5-7.5, sun-shade.

12 to 15 in. B&B.....	2.25	2.00	1.75
15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.50	3.25	3.00
24 to 30 in. B&B.....	4.50	4.25	4.00
30 to 36 in. B&B.....	5.50	5.00	
3 to 3½ ft. B&B.....	10.00	8.00	
3½ to 4 ft. B&B.....	10.00		

- cuspidata capitata**. 12 ft. (Upright Japanese Yew)
Sandy loam to silty clay, moist, well drained,
PH 5.5-7.5, sun-shade.

15 to 18 in. B&B.....	2.75	2.50	2.25
18 to 24 in. B&B.....	3.25	3.00	2.75
24 to 30 in. B&B.....	4.50	4.00	

- cuspidata intermedia** 6 ft. sandy loam to silty clay,
moist, well drained, PH 5.5-7.5, sun-shade

12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	4.00	3.50	

- cuspidata Kallay's Vase-shaped** sandy loam to silty
clay, moist, well drained, PH 5.5-7.5, sun-
shade

12 to 15 in. B&B.....	2.25	2.00	1.75
15 to 18 in. B&B.....	2.75	2.50	
18 to 24 in. B&B.....	3.25	3.00	
24 to 30 in. B&B.....	4.50	4.00	

- cuspidata nana**. 3 ft. (Compact Japanese Yew) Sandy
loam to silty clay, moist, well drained, PH
5.5-7.5, sun-shade.

12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.25	3.00	2.75

TAXUS — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**cuspidata nana brevifolia** 6 ft. (Dwarf Japanese Yew)
sandy loam to silty clay, moist, well drained,
PH 5.5-7.5, sun-shade.

9 to 12 in. B&B.....	2.00	1.75	1.50
12 to 15 in. B&B.....	2.50	2.25	2.00
15 to 18 in. B&B.....	3.25	3.00	2.75

—**media andersoni** 8 ft. (Anderson Yew) sandy loam to
silty clay, moist, well drained, PH 5.5-7.5, sun-
shade.

12 to 15 in. B&B.....	2.25	2.00	1.75
15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.50	3.25	3.00
24 to 30 in. B&B.....	4.50	4.00	

—**media browni** 6 ft. (Brown's Yew) sandy loam to
silty clay, moist, well drained, PH 5.5-7.5, sun-
shade.

12 to 15 in. B&B.....	2.25	2.00	1.75
15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.50	3.25	3.00

—**media hatfieldi** 8 ft. (Hatfield's Yew) sandy loam to
silty clay, moist, well drained, PH 5.5-7.5, sun-
shade.

12 to 15 in. B&B.....	2.25	2.00	1.75
15 to 18 in. B&B.....	3.00	2.75	2.50
18 to 24 in. B&B.....	3.50	3.25	3.00

—**media hicksi** 10 ft. (Hicks Yew) sandy loam to silty
clay, moist, well drained, PH 5.5-7.5, sun-
shade.

15 to 18 in. B&B.....	2.50	2.25	2.00
18 to 24 in. B&B.....	3.25	3.00	2.75
24 to 30 in. B&B.....	4.25	4.00	3.75
30 to 36 in. B&B.....	6.00	5.50	5.00
3 to 3½ ft. B&B.....	7.50	7.00	
3½ to 4 ft. B&B.....	12.00	10.00	
4 to 5 ft. B&B Spec....	25.00		
5 to 6 ft. B&B Spec....	50.00		

THUYA

occidentalis 40 ft. (American Arborvitae) silty clay
loam, moist, well drained, PH 6.0-7.5, sun-par-
tial shade.

2 to 2½ ft. B&B.....	2.00	1.75	1.50
2½ to 3 ft. B&B.....	2.25	2.00	1.75
3 to 4 ft. B&B.....	2.75	2.50	2.25
4 to 5 ft. B&B.....	4.00	3.50	
5 to 6 ft. B&B.....	5.00	4.50	

THUYA — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**occ. columbia** 40 ft. (Silver Tip Arborvitae) silty clay loam, moist, well drained PH 6.0-7.5, sun-partial shade.

2 to 2½ ft. B&B.....	2.25	2.00	1.75
2½ to 3 ft. B&B.....	2.50	2.25	2.00
3 to 4 ft. B&B.....	3.00	2.75	2.50
4 to 5 ft. B&B.....	4.00	3.50	
5 to 6 ft. B&B.....	5.00	4.50	
6 to 7 ft. B&B.....	6.50	6.00	

—**occ. compacta** 4 ft. (Parson's Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.60	1.50	1.35
18 to 24 in. B&B.....	2.00	1.75	1.65
24 to 30 in. B&B.....	2.50	2.25	2.00
30 to 36 in. B&B.....	3.50	3.25	3.00

—**occ. douglasi aurea** 15 ft. (Douglas Golden Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2 to 2½ ft. B&B.....	2.25	2.00	1.75
2½ to 3 ft. B&B.....	2.50	2.25	2.00
3 to 4 ft. B&B.....	3.00	2.75	2.50
4 to 5 ft. B&B.....	4.00	3.75	3.50
5 to 6 ft. B&B.....	5.00	4.75	4.50
6 to 7 ft. B&B.....	6.50	6.00	

—**occ. elegantissima** 15 ft. (Golden Tip Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2 to 2½ ft. B&B.....	2.25	2.00	1.75
2½ to 3 ft. B&B.....	2.50	2.25	2.00
3 to 4 ft. B&B.....	3.00	2.75	2.50
4 to 5 ft. B&B.....	4.00	3.75	3.50
5 to 6 ft. B&B.....	5.00	4.75	

—**occ. ellwangeriana** 6 ft. (Tom Thumb Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

15 to 18 in. B&B.....	1.60	1.50	1.35
18 to 24 in. B&B.....	2.00	1.75	1.65

—**occ. globosa**. 3 ft. (Globe Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.60	1.50	1.35
18 to 24 in. B&B.....	2.00	1.75	1.65
24 to 30 in. B&B.....	2.50	2.25	2.00

—**occ. hoveyi**. 6 ft. (Hovel's Golden Arborvitae) silty clay loam, moist, well drained PH 6.0-7.5, sun-partial shade.

12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	1.60	1.50	1.35
18 to 24 in. B&B.....	2.00	1.75	1.65
24 to 30 in. B&B.....	2.50	2.25	2.00

THUYA — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**occ. lutea.** 5 ft. (Geo. Peabody Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2	to 2½ ft. B&B.....	2.25	2.00	1.75
2½	to 3 ft. B&B.....	2.50	2.25	2.00
3	to 4 ft. B&B.....	3.00	2.75	2.50

—**occ. pyramidalis.** 25 ft. (Pyramidal Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

18	to 24 in. B&B.....	1.50	1.35	1.25
2	to 2½ ft. B&B.....	2.00	1.75	1.50
2½	to 3 ft. B&B.....	2.25	2.00	1.75
3	to 4 ft. B&B.....	2.75	2.50	2.25
4	to 5 ft. B&B.....	4.00	3.75	3.50
5	to 6 ft. B&B.....	5.00	4.50	

—**occi. rosenthali.** 10 ft. (Rosenthal Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

18	to 24 in. B&B.....	2.00	1.75	1.50
2	to 2½ ft. B&B.....	2.25	2.00	1.75
2½	to 3 ft. B&B.....	2.50	2.25	2.00

occ. spiralis. 25 ft. (Spiral Arborvitae) silty clay loam, moist, well drained PH 6.0-7.5, sun-partial shade.

2½	to 3 ft. B&B.....	2.50	2.25	2.00
3	to 4 ft. B&B.....	3.00	2.75	2.50
4	to 5 ft. B&B.....	4.00	3.75	3.50
5	to 6 ft. B&B.....	5.00	4.50	

—**occ. wareana.** 15 ft. (Siberian Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

15	to 18 in. B&B.....	1.60	1.50	1.35
18	to 24 in. B&B.....	2.00	1.75	1.65
2	to 2½ ft. B&B.....	2.50	2.25	2.00
2½	to 3 ft. B&B.....	3.50	3.25	3.00

—**occ. woodwardi.** 3 ft. (Woodward Globe Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12	to 15 in. B&B.....	1.25	1.15	1.00
15	to 18 in. B&B.....	1.60	1.50	1.35
18	to 24 in. B&B.....	2.00	1.75	1.65

—**orientalis.** 25 ft. (Oriental Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

2	to 2½ ft. B&B.....	2.00	1.75	1.50
2½	to 3 ft. B&B.....	2.50	2.25	2.00
3	to 4 ft. B&B.....	3.00	2.75	
4	to 5 ft. B&B.....	4.50	4.00	
5	to 6 ft. B&B.....	5.50	5.00	

THUYA — Continued

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

—**orientalis compacta**. 8 ft. (Compact Oriental Arborvitae) silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

18	to 24	in. B&B	1.50	1.35	1.25
2	to 2½	ft. B&B	2.00	1.75	1.50
2½	to 3	ft. B&B	2.25	2.00	
3	to 4	ft. B&B	3.00	2.75	

—**orientalis Kallay's Golden**. 10 ft. (Golden Chinese Arborvitae) silty clay loam, moist, well drained PH 6.0-7.5, sun-partial shade.

2½	to 3	ft. B&B	3.00	2.50	
3	to 4	ft. B&B	4.00	3.50	
4	to 5	ft. B&B	5.50	5.00	
5	to 6	ft. B&B	6.50	6.00	

TILIA

—**americana**. 80 ft. (American Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

6	to 8	ft.	1.50	1.35	1.25
8	to 10	ft.	2.00	1.75	
1½	to 1¾	in.	2.50	2.25	
1¾	to 2	in.	3.25	3.00	2.75
2	to 2½	in.	4.00	3.75	3.50
2½	to 3	in.	6.00	5.50	5.00
3	to 3½	in.	9.00	8.50	8.00

—**cordata**. 65 ft. (Little Leaf European Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

6	to 8	ft.	2.00	1.50	
8	to 10	ft.	2.50	2.25	
1¼	to 1½	in.	3.25	3.00	

—**vulgaris**. 70 ft. (Common European Linden) rich, medium loam, moist, well drained, PH 6.0-7.5, sun.

6	to 8	ft.	2.00	1.50	
8	to 10	ft.	2.50	2.25	
1¼	to 1½	in.	3.25	3.00	
1¾	to 2	in.	4.50	4.00	
2	to 2½	in.	5.50	5.00	

TSUGA

—**carolineana**. 50 ft. (Carolina Hemlock) good, medium loam, moist, well drained, PH 5.0-6.5, sun-shade.

6	to 7	ft. B&B	14.00	12.00	
7	to 8	ft. B&B	17.50	15.00	
8	to 10	ft. B&B	22.50	20.00	
10	to 12	ft. B&B	30.00	25.00	

Tsuga (Continued)

—**canadensis**. 75 ft. (Canadian Hemlock) good, medium loam, moist, well drained, PH 5.0-6.5, sun-shade.

	Each 1-4	Each 5-24	Each 25-up
2 to 2½ ft. B&B.....	3.00	2.75	2.50
2½ to 3 ft. B&B.....	4.00	3.75	3.50
3 to 4 ft. B&B.....	5.00	4.75	4.50
6 to 7 ft. B&B.....	11.00	10.00	
7 to 8 ft. B&B.....	17.50	15.00	
8 to 9 ft. sheared spec. B&B	25.00	20.00	
9 to 10 ft. sheared spec. B&B	30.00	25.00	

ULMUS

—**alata**. 45 ft. (Winged Elm) rich, medium silty clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.....	2.50	2.00	
8 to 10 ft.....	3.00	2.50	
1¼ to 1½ in.....	3.50	3.00	
1½ to 1¾ in.....	4.00	3.50	
1¾ to 2 in.....	4.50	4.00	
2 to 2½ in.....	6.00	5.50	
2½ to 3 in.....	7.00	6.50	

—**americana**. 80 ft. (American Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.....	1.25	1.15	1.00
8 to 10 ft.....	1.50	1.35	1.25
1¼ to 1½ in.....	2.25	2.00	1.75
1½ to 1¾ in.....	2.75	2.50	2.25
1¾ to 2 in.....	3.50	3.25	3.00
2 to 2½ in.....	4.50	4.25	4.00
2½ to 3 in.....	6.00	5.75	5.50
3 to 3½ in.....	9.00	8.50	8.00
3½ to 4 in.....	15.00	14.00	13.00
4 to 5 in.....	20.00	17.50	15.00
5 to 6 in., price on request			

—**americana moline**. 80 ft. (Moline Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.....	1.75	1.50	1.25
8 to 10 ft.....	2.00	1.75	1.50
1¼ to 1½ in.....	2.50	2.25	2.00
1½ to 1¾ in.....	3.00	2.75	2.50
1¾ to 2 in.....	3.50	3.25	3.00
2 to 2½ in.....	5.00	4.75	4.50
2½ to 3 in.....	7.00	6.50	6.00
3 to 3½ in.....	12.00	11.00	10.00
3½ to 4 in.....	14.00	13.00	12.00

—**americana vase shaped**. 60 ft. (Vase Elm) rich, medium to silty clay, moist, PH 6.0-7.5, sun.

6 to 8 ft.....	1.75	1.50	1.25
8 to 10 ft.....	2.00	1.75	1.50
1¼ to 1½ in.....	2.50	2.25	2.00
1½ to 1¾ in.....	3.00	2.75	2.50
1¾ to 2 in.....	3.50	3.25	3.00
2 to 2½ in.....	5.00	4.75	
2½ to 3 in.....	7.00	6.50	
3 to 3½ in.....	12.00	11.00	

ULMUS — Continued

—**compestris wheatleyi**. 75 ft. (Wheatley Elm) rich, medium silty clay loam, moist, PH 6.0-7.5, sun.

		Each 1-4	Each 5-24	Each 25-up
1½ to 1¾ in.		5.50	5.25	5.00
1¾ to 2 in.		6.50	6.25	6.00
2 to 2½ in.		9.00	8.00	

—**fulva**. 65 ft. (Slippery Elm) medium loam to silty clay, moist, PH 6.0-7.5, sun.

1½ to 1¾ in.	2.75	2.50	
1¾ to 2 in.	3.50	3.25	
2 to 2½ in.	4.50	4.00	

—**parvifolia**. 30 ft. (Chinese Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

8 to 10 ft.	2.00	1.75	
1¼ to 1½ in.	2.50	2.25	
1½ to 2 in.	3.50	3.00	
2 to 2½ in.	4.50	4.00	
2½ to 3 in.	6.00	5.50	

—**procera (campestris)** 80 ft. (English Elm) rich, medium to silty clay loam, moist, PH 6.0-7.5, sun.

6 to 8 ft.	1.75	1.65	1.50
8 to 10 ft.	2.50	2.25	2.00
1¼ to 1½ in.	3.00	2.75	2.50
1½ to 1¾ in.	3.50	3.25	3.00
1¾ to 2 in.	4.00	3.75	3.50
2 to 2½ in.	6.00	5.50	5.00
2½ to 3 in.	8.00	7.50	7.00
3 to 3½ in.	12.00	11.00	10.00
3½ to 4 in.	20.00	15.00	

—**pumila**. 75 ft. (Asiatic Elm) sandy loam to silty clay, moist, PH 6.0-7.5, sun.

1½ to 1¾ in.	2.75	2.50	2.25
1¾ to 2 in.	3.00	2.75	2.50
2 to 2½ in.	4.50	4.25	4.00
2½ to 3 in.	6.00	5.50	5.00
3 to 3½ in.	10.00	9.00	8.00
3½ to 4 in.	11.00	10.50	10.00
4 to 5 in.	17.50	15.00	
5 to 6 in.	in., price on request		

VIBURNUM

—**acerifolium**. 5 ft. (Mapleleaf Viburnum) medium loam, dry-moist, PH 4.5-6.5, sun or shade.

2 to 3 ft.	.50	.45	.40
3 to 4 ft.	.60	.55	.50
4 to 5 ft.	.80	.70	.60
5 to 6 ft.	1.00	.90	.80

—**americanum**. 8 ft. (American Cranberry Bush) medium loam, moist, PH 6.0-7.5, sun or partial shade.

18 to 24 in.	.30	.25	.20
2 to 3 ft.	.40	.35	.30
3 to 4 ft.	.50	.45	.40
4 to 5 ft.	.60	.55	.50
5 to 6 ft.	.80	.70	.60

VIBURNUM — Continued

	Each 1-4	Each 5-24	Each 25-up
—burkwoodi. 4 ft. light to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
15 to 18 in. B&B.....	2.00	1.75	1.50
18 to 24 in. B&B.....	2.50	2.25	2.00
2 to 3 ft. B&B.....	3.00	2.75	2.50
3 to 4 ft. B&B.....	4.00	3.75	3.50
—carlesi. 4 ft. (Fragrant Viburnum) light to silty clay loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
12 to 15 in. B&B.....	1.25	1.15	1.00
15 to 18 in. B&B.....	2.00	1.75	1.50
18 to 24 in. B&B.....	2.25	2.00	1.75
2 to 3 ft. B&B.....	2.75	2.50	2.25
12 to 15 in. own roots B&B....	1.50	1.35	1.25
15 to 18 in. own roots B&B....	2.25	2.00	1.75
18 to 24 in. own roots B&B....	2.75	2.50	2.25
2 to 3 ft. own roots B&B....	3.00	2.75	2.50
—cassinoides. 6 ft. (Withe Rod) medium to silty clay loam, moist, PH 6.0-7.5, sun-shade.			
18 to 24 in.....	.35	.30	.25
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.80	.70	.60
5 to 6 ft.....	1.00	.80	
6 to 8 ft.....	1.25	1.00	
—dentatum. 12 ft. (Arrowwood) sandy to silty clay loam, moist, PH 6.0-7.5, sun-shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60
6 to 8 ft.....	1.25	1.15	1.00
—lantana. 15 ft. (Wayfaring Tree) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.			
2 to 3 ft.....	.40	.35	
3 to 4 ft.....	.50	.45	
4 to 5 ft.....	.65	.60	
5 to 6 ft.....	.85	.75	
—lentago. 20 ft. (Nannyberry) light loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.70	.60	.50
5 to 6 ft.....	.80	.70	.60
6 to 8 ft.....	1.00	.90	.80
8 to 10 ft.....	1.25	1.15	1.00
—molle. 10 ft. (Kentucky Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.			
2 to 3 ft.....	.40	.35	.30
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.70	.65	.60

	Each 1-4	Each 5-24	Each 25-up
VIBURNUM — Continued			
— nudum . 8 ft. (Smooth Withe Rod) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.			
18 to 24 in.....	.45	.40	
2 to 3 ft.....	.60	.50	
— opulus . 10 ft. (Highbush Cranberry) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.75	.65	.60
— opulus nanum . 2 ft. (dwarf cranberry) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
9 to 12 in.....	.65	.50	
— opulus sterile . 12 ft. (Common Snowball) sandy loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.50	.45	.40
4 to 5 ft.....	.60	.55	.50
5 to 6 ft.....	.75	.65	.60
— prunifolium . 12 ft. (Blackhaw) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.			
3 to 4 ft.....	.85	.75	
4 to 5 ft.....	1.25	1.00	
5 to 6 ft.....	1.75	1.50	1.25
6 to 8 ft.....	2.50	2.00	
— pubescens . 6 ft. (Downy Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.			
2 to 3 ft.....	.50	.45	.40
3 to 4 ft.....	.60	.55	.50
— seiboldi . 10 ft. (Seibold Viburnum) light loam to silty clay, moist, PH 6.0-7.5, sun-shade.			
2 to 3 ft.....	.60	.50	
3 to 4 ft.....	.75	.60	
— tomentosum . 8 ft. (Doublefile Viburnum) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-shade.			
18 to 24 in.....	.40	.35	.30
2 to 3 ft.....	.45	.40	.35
3 to 4 ft.....	.55	.50	.45
— tomentosum plicatum . 8 ft. (Japanese Snowball) light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade.			
2 to 3 ft.....	.50	.45	
— wrightii . 8 ft. (Wright's Viburnum) Light loam to silty clay, moist, well drained, PH 6.0-7.5, sun-partial shade.			
3 to 4 ft.....	.70	.65	.60
4 to 5 ft.....	.90	.80	
5 to 6 ft.....	1.25	1.00	

VINCA

— minor . 6 in. (Periwinkle) Sandy to silty clay loam moist, PH 6.0-7.5, sun-shade.			
2 year field grown.....	.15	.12	.10

Each 1-4	Each 5-24	Each 25-up
-------------	--------------	---------------

VITEX

—**agnus castus.** 4 ft. (Chaste Tree) Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun-slight shade.

2 to 3 ft.	.40	.35	
3 to 4 ft.	.45	.40	

—**latifolia (macrophylla)** Hardy lilac chaste tree. Sandy to silty loam, moist, well drained, PH 6.0-7.5, sun-light shade.

2 to 3 ft.	.50	.40	
3 to 4 ft.	.60	.50	

VITIS

—**aestivalis.** 40 ft. (Summer Grape) Sandy loam to silty clay, moist, PH 5.5-7.5, sun-partial shade.

2 year No. 1	.40	.35	
--------------	-----	-----	--

WEIGELA

—**abel carriere.** 10 ft. Medium loam, moist, well drained, PH 6.0-7.5, sun-shade.

12 to 18 in.	.20	.17	.15
18 to 24 in.	.25	.22	.20

—**amabilis.** 8 ft. (Rose Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 18 in.	.20	.17	.15
18 to 24 in.	.25	.22	.20

—**candida.** 10 ft. (White Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 18 in.	.20	.17	.15
18 to 24 in.	.25	.22	.20
2 to 3 ft.	.40	.35	.30

—**desboisi.** 10 ft. (Pink Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 18 in.	.20	.17	.15
18 to 24 in.	.25	.22	.20
2 to 3 ft.	.45	.40	.35
4 to 5 ft.	.60	.50	

—**Eva Rathke.** 5 ft. (New, Red Flowering Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 18 in.	.30	.27	.25
18 to 24 in.	.45	.40	.35
2 to 3 ft.	.50	.45	.40
4 to 5 ft.	.70	.60	
5 to 6 ft.	.80	.70	

—**floribunda.** 8 ft. (Crimson Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-part shade.

12 to 18 in.	.30	.27	.25
18 to 24 in.	.45	.40	.35
2 to 3 ft.	.50	.45	.40
4 to 5 ft.	.70	.60	

—**hendersoni.** 10 ft. (Pink Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.

12 to 18 in.	.20	.17	.15
18 to 24 in.	.25	.22	.20
2 to 3 ft.	.45	.40	.35

	Each 1-4	Each 5-24	Each 25-up
WEIGELA — Continued			
— nana variegata. 5 ft. (Variegated Leaf Weigela) Medium loam, moist, well drained, PH 6.0-7.5, sun-partial shade.			
12 to 18 in.....	.25	.22	.20
18 to 24 in.....	.30	.27	.25
2 to 3 ft.....	.45	.40	.35
— rosea. 8 ft. (Pink Flowering Weigela) Medium loam moist, well drained, PH 6.0-7.5, sun-partial shade.			
12 to 18 in.....	.20	.17	.15
18 to 24 in.....	.25	.22	.20
2 to 3 ft.....	.45	.40	.35
4 to 5 ft.....	.60	.50	

WISTARIA

— multijuga. 30 ft. (Japanese Wistaria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-slight shade.			
2 year No. 1.....	.50	.40	
3 year No. 1.....	.60	.50	
— sinensis blue. 40 ft. (Chinese Purple Wistaria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.			
2 year No. 1.....	.50	.40	
3 year No. 1.....	.60	.50	
— sinensis white. 40 ft. (Chinese White Wisteria) Medium to silty clay loam, moist, well drained, PH 6.0-7.5, sun-shade.			
2 year No. 1.....	.50	.40	
3 year No. 1.....	.60	.50	

ZANTHORHIZA

— apiifolia. 3 ft. (Yellowroot) Sandy loam to silty clay, dry-moist, PH 5.0-6.5, sun-partial shade.			
12 to 15 in.....	.35	.30	
15 to 18 in.....	.45	.40	
18 to 24 in.....	.60	.50	

For schedule of prices on balling and burlapping deciduous trees and shrubs, see page 70.

PEONIES

Strong, 3 to 5 eye divisions

	Each 1-4	Each 5-24
Albert Crousse, Shell pink35	.30
Baroness Schroeder. Pale pink50	.40
Claire Dubois. Satin pink40	.35
Felix Crousse. Ruby red40	.35
Festiva Maxima. White.40	.35
Gigantea. Rose pink35	.30
Karl Rosenfeld. Red.40	.35
Lady Alexander Duff. Pink40	.35
Livingston. Light pink40	
Mad. Emile Galie. Pink35	.30
Mad. Jules Dessert. Shell pink40	.35
Marie Crousse. Salmon pink35	.30
Mikado - Japanese. Dark crimson ..	.45	.40
Mons Jules Elie. Early pink45	.40
Officinalis rubra fl. pl. Early red....	.45	.40
Solange. Waxy white50	.45
Therese. Pink60	.50

FRUIT DEPARTMENT

	Each 1-4	Each 5-24
APPLES standard named var. $\frac{1}{16}$ in. ...	1.00	.85
CHERRIES(sour)		
standard named var. $\frac{1}{16}$ in. ...	1.50	1.45
CHERRIES (sweet)		
standard named var. $\frac{1}{16}$ in. ...	1.75	1.50
PEACHES		
standard named var. $\frac{1}{16}$ in. up	.75	.65
PEARS standard named var. $\frac{1}{16}$ in.	1.25	1.10
PLUMS standard named var. $\frac{1}{16}$ in.	1.25	1.00
APRICOTS Hungary's best $\frac{1}{16}$ in. up ...	1.25	1.00

SMALL FRUIT

GRAPES —

	Each 1-4	Each 5-24
Campbell's Early, 2 yr., No. 125	.20
Catawba, 2 yr., No. 125	.20
Concord, 2 yr., No. 118	.15
Delaware, 2 yr., No. 125	.20
Diamond, 2 yr., No. 125	.20
Moore's Early, 2 yr., No. 125	.20
Niagara, 2 yr., No. 125	.20

LINING OUT STOCK

For Spring, 1948 Shipment

T Indicates once transplanted

TT Indicates twice transplanted

per 100 per 1000

BUXUS

<i>sempervirens</i>	T 4 to 6 in.	20.00	180.00
---------------------	--------------	-------	--------

ILEX

<i>bullata convexa</i>	T 4 to 6 in.	30.00	275.00
<i>glabra</i>	T 4 to 6 in.	25.00	225.00
<i>crenata</i>	T 4 to 6 in.	25.00	225.00

CHAMAECYPARIS

<i>plumosa</i>	TT 12 to 15 in.	35.00	300.00
<i>plumosa aurea</i>	TT 9 to 12 in.	35.00	300.00
<i>squarrosa</i>	TT 9 to 12 in.	35.00	300.00

TAXUS

<i>bac. repandens</i>	T 6 to 9 in.	30.00	275.00
<i>bac. repandens</i>	TT 9 to 12 in.	35.00	325.00
<i>cuspidata</i>	T 6 to 9 in.	25.00	225.00
<i>cuspidata</i>	TT 9 to 12 in.	30.00	275.00
<i>culp. nana</i>	TT 8 to 10 in.	40.00	375.00
<i>culp. capitata</i>	T 6 to 9 in.	25.00	225.00
<i>culp. capitata</i>	TT 9 to 12 in.	35.00	325.00
<i>media andersoni</i>	T 6 to 9 in.	30.00	275.00
<i>media browni</i>	T 6 to 9 in.	32.50	300.00
<i>media hicksi</i>	T 6 to 9 in.	30.00	275.00

BERRY-BEARING TREES AND SHRUBS

For late fall and winter effect; also attractive to birds.

TREES

Cornus florida—red
Corylus americana—brown
Corylus avellana—brown
Crataegus in variety—red

Malus in variety—red
Morus alba—white
Nyssa sylvatica—black
Sorbus aucuparia—red

DECIDUOUS SHRUBS

Amelanchier canadensis—purple
Amelanchier stolonifera—purple
Aronia arbutifolia—red
Aronia melanocarpa—black
Berberis in variety—red
Benzoin aestivale—red
Chionanthus virginica—blue
Cornus alternifolia—black
Cornus alba sibirica—white
Cornus amomum—blue
Cornus mas—red
Cornus paniculata—white
Cornus stolonifera—black
Cotoneaster in variety—red
Euonymus alatus—red
Euonymus americana—red
Euonymus europaeus—orange
Euonymus yezoensis—orange
Ilex verticillata—red
Ligustrum amurense—black
Ligustrum ibota—black
Ligustrum ibota reilianum—
 black

Ligustrum vulgare—black
Lonicera in variety—red
Myrica carolinensis—gray
Photinia villosa—red
Rhamnus catharticus—black
Rhamnus frangula—black
Rhus canadensis—red
Sambucus canadensis—black
Sambucus nigra—black
Sambucus pubens—scarlet
Symphoricarpos racemosus—
 white
Symphoricarpos vulgaris—red
Symphoricarpos V. Chenaulti—
 black
Viburnum acerifolium—black
Viburnum americanum—red
Viburnum cassinoides—red
Viburnum dentatum—black
Viburnum lantana—black
Viburnum lentago—black
Viburnum opulus—red
Viburnum Wrighti—red

Specially attractive to birds on which they feed, and bird lovers should by all means include the following varieties in their plantings:

Amelanchier in variety
Aronia in variety
Benzoin aestivale
Chionanthus virginica
Cornus in variety
Cotoneaster in variety
Crataegus in variety
Ligustrum in variety

Lonicera in variety
Malus in variety
Myrica carolinensis
Prunus in variety
Rhus in variety
Rosa in variety
Symphoricarpos in variety
Viburnum in variety

SCHEDULE OF B. & B. PRICES

The following is a schedule of prices for balling and burlapping deciduous trees and shrubs of various grades which are listed with bare roots. Items listed B. & B., price of balling is included in the list price.

Unless instructed to the contrary, the following size balls will be supplied. If larger or smaller balls are required, prices will be adjusted accordingly.

SHRUBS AND FLOWERING TREES

Ball Size	Lbs.			1-5 Each	5-25 Each
10 in.	30	1½ to	2 ft.	\$.50	\$.40
12 in.	45	2 to	3 ft.	.65	.55
13 in.	55	3 to	4 ft.	.75	.65
15 in.	85	4 to	5 ft.	1.15	1.00
16 in.	105	5 to	6 ft.	1.50	1.35
18 in.	150	6 to	7 ft.	2.50	2.25
20 in.	200	7 to	8 ft.	3.50	3.00
22 in.	260	8 to	10 ft.	5.00	4.50

SHADE TREES

20 in.	200	1¼ to	1½ in.	\$3.50	\$3.25
22 in.	260	1½ to	1¾ in.	5.00	4.50
24 in.	325	1¾ to	2 in.	6.00	5.50
28 in.	400	2 to	2½ in.	8.00	7.00
30 in.	650	2½ to	3 in.	10.00	9.00
36 in.	1025	3 to	4 in.	16.00	15.00
42 in.	1600	4 to	5 in.	22.00	20.00
48 in.	2500	5 to	5½ in.	30.00	25.00
54 in.	3500	5½ to	6 in.	40.00	35.00
60 in.	4600	6 to	7 in.	50.00	45.00

Due to labor shortage, balling prices herein quoted are subject to change without notice.

BOXING CHARGES

30x30 in.	\$.70 per foot
28x28 in.	.65 per foot
24x24 in.	.60 per foot
20x20 in.	.55 per foot
16x16 in.	.45 per foot
14x14 in.	.35 per foot
12x12 in.	.32 per foot

BALES

35 cents to \$4.00 depending on size

The weight of balls as above indicated are approximate, price quoted includes loading on your truck. In case of car loading of balls larger than 24" balls, an additional charge will be made to cover cost of labor and material used.

NOTES

NOTES

